Missouri Department of Natural Resources
Air Pollution Control Program
2012 Monitoring Network Plan

May 25, 2012

TABLE OF CONTENTS

SUMMARY OF PROPOSED CHANGES

Missouri's 2012 Monitoring Network Plan proposes to address:

- One new near-roadway nitrogen dioxide (NO_2) monitoring site in St. Louis,
- Planning for the second near-roadway NO_2site in St. Louis,
- Planning for one near-roadway NO_2 site in Kansas City,
- Resumption of sulfur dioxide (SO_2) monitoring at the Mark Twain State Park Site,
- All year ozone monitoring at the Mark Twain State Park Site.

As part of the condition of receiving one-time section 103 Grant funds to implement some of the NO_2 near-roadway monitoring network the department will conduct special purpose $PM_{2.5}$, PM_{10LC}, $PM_{10-2.5,}$ $PM_{2.5}$ black carbon, meteorological, and carbon monoxide (CO) monitoring at the Forest Park near-roadway NO_2 site.

The plan also discusses lead monitoring that was discontinued at the Corridon and Webb City ambient air monitoring sites. PM_{10} Monitoring was discontinued at the Hall St. site. The location of the Exide Lead monitoring site will be identified. More details concerning these changes are included throughout this Monitoring Network Plan.

Effective on or before October 1, 2011, the State of Missouri assumed daily ambient air monitoring activities formerly conducted by local air pollution control agencies in Springfield, St. Louis County and St. Louis City. The network table in Appendix 1 identifies monitors whose monitoring operations were transferred from the local agencies and are now under the State's responsibility.

How to Make Public Comments Concerning this Plan

Comments concerning this Monitoring Network Plan may be sent electronically to: cleanair@dnr.mo.gov or in writing to the following address and must be received by close of business June 28, 2012:

Missouri Department of Natural Resources
Air Pollution Control Program
Air Quality Analysis Section/Air Monitoring Unit
P.O. Box 176
Jefferson City, MO 65102

INTRODUCTION

The Missouri Department of Natural Resources operates an extensive network of ambient air monitors to comply with the Clean Air Act and its amendments. The Ambient Air Quality Monitoring Network for the State of Missouri consists of State and Local Air Monitoring Stations (SLAMS), Special Purpose Monitoring Stations (SPMS) monitoring and the National Core (NCore) monitoring consistent with requirements in federal regulation 40 CFR 58.10.

40 CFR 58.10 requires states submit to EPA an annual monitoring network plan including any proposed network changes. With regard to state and local air monitoring station changes, approval by the Environmental Protection Agency Regional Administrator is required.

The plan must contain the following information for each monitoring station in the network:

1. The Air Quality System site identification number for existing stations.
2. The location, including the street address and geographical coordinates, for each monitoring station.
3. The sampling and analysis method used for each measured parameter.
4. The operating schedule for each monitor.
5. Any proposal to remove or move a monitoring station within a period of eighteen months following the plan submittal.
6. The monitoring objective and spatial scale of representativeness for each monitor.
7. The identification of any sites that are or are not suitable for comparison against the annual $PM_{2.5}$ National Ambient Air Quality Standard (NAAQS).
8. The metropolitan statistical area, core-based statistical area, combined statistical area or other area represented by the monitor.

Network Design

Federal regulation (40 CFR Part 58) establishes the design criteria for the ambient air monitoring network. The network is designed to meet three general objectives:

- Provide air pollution data to the public in a timely manner.
- Support compliance with ambient air quality standards and emissions strategy development.
- Support air pollution research studies.

Specific objectives for the monitoring sites are to determine the highest pollution concentrations in an area, to measure typical concentrations in areas of high population density, to determine the impact of significant sources or source categories, to determine general background levels and to determine the extent of regional pollutant transport among populated areas. Minimum site requirements are provided for ozone and particulate matter based on Core Based Statistical Area (CBSA) population.

Appendix E to Part 58 establishes the specific requirements for monitor/probe siting to ensure the ambient data represents the stated objectives and spatial scale. The requirements are

pollutant/scale specific and involve horizontal/vertical placement. Additional details concerning the sites may be found in Appendix 1.

There are only two $PM_{2.5}$ monitors in Missouri that are not applicable for comparison to the annual NAAQS - Branch Street and the proposed Forest Park near-roadway monitor. Branch St. is a middle-scale site focused on a group of sources in the industrial riverfront area and is not neighborhood scale. The Forest Park monitor is a special purpose micro-scale site focused on $PM_{2.5}$ mobile source impacts adjacent to Interstate I-40/64. The identification of any sites that are or are not suitable for comparison against the annual $PM_{2.5}$ National Ambient Air Quality Standard is required of 40 CFR Part 58.10 (7).

Changes to the monitoring Network may occur outside the network planning process due to unforeseen circumstances resulting from severe weather, natural events, changes in property ownership, or other situations that occur after the monitoring plan has been posted for public inspection and approved by the EPA Regional Administrator. Any changes to the network that result due to conditions outside the state's logistical control and not included in the current monitoring network plan will be communicated in writing to EPA Region VII staff and identified in the subsequent annual monitoring network plan.

CURRENT AMBIENT AIR MONITORING NETWORK

The statewide current monitoring network is shown below in the map and table.



Legend

St. Louis Area

Site#	Site Name	Parameter Monitored
01	Margaretta	PM_{10}, SO_2, NO_2, NOx, IT
02	Blair Street	PM_{10}, $PM_{10\text{-}LC}$, $PM_{2.5}$, $PM_{2.5}$ (Spec), PMCoarse, O_3, SO_2, Pb, NO_y, NO, CO, BC, Carbonyls, Hexa Chromium, PAHs, VOCs, WS, WD, OT, IT, SR, BP, RH,
03	Branch Street	PM_{10}, $PM_{10\text{-}LC}$, $PM_{2.5}$, PMCoarse, WS, WD, OT, IT, BP, RH
04	Forest Park	$PM_{10\text{-}LC}$, $PM_{2.5}$, PMCoarse, NO_2 CO, BC, WS, WD, OT, IT, SR, BP, RH, Prec
05	South Broadway	PM_{10}, $PM_{10\text{-}LC}$, $PM_{2.5}$, PMCoarse IT, BP, RH
06	Orchard Farm	O_3, IT
07	West Alton	O_3, WS, WD, OT, IT, SR
08	Maryland Heights	O_3, WS, WD, OT, IT
09	Ladue	$PM_{2.5}$, WS, WD, OT, IT
10	Pacific	O_3, WS, WD, OT, IT
11	Oakville	PM_{10}, WS, WD, IT
12	Arnold West	$PM_{10\text{-}LC}$, $PM_{2.5}$, $PM_{2.5}$ (Spec), PMCoarse, O_3, WS, WD, OT, IT, BP, RH
13	Foley	O_3, WS, WD, IT

Kansas City Area

Site#	Site Name	Parameter Monitored
14	Trimble	O_3, WS, WD, IT
15	Watkins Mill	O_3, IT
16	Liberty	$PM_{10\text{-}LC}$, $PM_{2.5}$, $PM_{2.5}$ (Spec), PMCoarse, O_3, WS, WD, OT, IT SR, BP, RH
17	Rocky Creek	O_3, WS, WD, IT
18	Troost	PM_{10}, $PM_{2.5}$, SO_2, NO_2, NOx, OT, IT
19	Front Street	PM_{10}
20	Richards Gebaur-South	$PM_{10\text{-}LC}$, $PM_{2.5}$, PMCoarse, O_3, WS, WD, OT, IT, BP, RH

Springfield Area

Site#	Site Name	Parameter Monitored
21	Fellows Lake	O_3, WS, WD, IT
22	Hillcrest H. Sch.	O_3, IT
23	Missouri State University	PM_{10}, $PM_{10\text{-}LC}$, $PM_{2.5}$, PMCoarse OT, IT, BP, RH

Springfield Area Cont'

Site#	Site Name	Parameter Monitored
24	South Charleston	SO_2, IT

Herculaneum Area

Site#	Site Name	Parameter Monitored
25	Pevely North	Pb
26	Pevely	Pb
27	Herculaneum, Sherman	Pb
28	Herculaneum,	Pb
29	Herculaneum, Mott Street	SO_2, Pb, WS, WD, IT
30	Ursuline North	Pb

Old Lead Belt Area

Site#	Site Name	Parameter Monitor
31	Park Hills	Pb
32	St. Joe State Park	Pb

New Lead Belt Area

Site#	Site Name	Parameter Monitored
33	Glover	Pb
34	Buick NE	Pb, SO_2, WS, WD, IT
35	Oates	Pb
36	Bill's Creek	Pb
37	Fletcher	Pb

Outstate Area

Site#	Site Name	Parameter Monitored
38	Alba	O_3, IT
39	Carthage	PM_{10}, WS, WD, IT
40	El Dorado Springs	$PM_{10\text{-}LC}$, $PM_{2.5}$, PMCoarse, O_3, WS, WD, OT, IT, BP, RH IMPROVE
41	Branson	O_3, WS, WD, IT
42	Hercules Glades	IMPROVE
43	Mingo	IMPROVE
44	Farrar	O_3, WS, WD, IT
45	Bonne Terre	$PM_{2.5}$ (Spec), O_3, WS, WD, SR, IT
46	New Bloomfield	O_3, WS, WD, IT
47	Finger Lakes	O_3, IT
48	Mark Twain State Park	PM_{10}, SO_2, O_3, WS, WD, IT

Outstate Area Cont'

Site#	Site Name	Parameter Monitored
49	St. Joseph Pump Station	PM_{10}, $PM_{10\text{-}LC}$, $PM_{2.5}$, PMCoarse, BP, RH
50	Savannah	O_3, WS, WD, IT
51	Forest City, Exide	Pb-PM_{10}

Acronym

PM_{10}	Particulate Matter (Diameter size≤10 micrometer)
$PM_{10\text{-}LC}$	PM_{10} Local Condition
$PM_{2.5}$	Particulate Matter (Diameter
PMCoarse	Particulate Matter (Diameter size between 2.5 and 10 micrometer)
Spec	Speciation
SO_2	Sulfur Dioxide
NO_2	Nitrogen Dioxide
NO	Nitric Oxide
NO_y	Reactive Oxides of Nitrogen
NO_x	Oxides of Nitrogen
CO	Carbon Monoxide
Pb	Lead
BC	Black Carbon
Prec	Precipitation
WS	Resultant Wind Speed
WD	Resultant Wind Direction
OT	Outside Temperature
IT	Indoor Temperature
SR	Solar Radiation
BP	Barometer Pressure
RH	Relative Humidity
IMPROVE	Interagency Monitoring of PROtected Visual Environment (Regional Haze)

Notes:

a. The acronym $PM_{10\text{-}LC}$ is also commonly referred to as PM_{10c} when collected with a low volume sampler consistent with appendix O to Part 50. Where $PM_{10\text{-}LC}$ means particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers where the concentration is reported at local conditions of ambient temperature and barometric pressure). $PM_{10\text{-}LC}$ is used in this document to describe any continuous or filter based PM_{10} low volume measurement concentration that is reported at local conditions of ambient temperature and barometric pressure.

b. PM_{10} means particulate matter with an aerodynamic diameter less than or equal to a nominal 10 micrometers where the concentration is adjusted to EPA reference conditions of ambient temperature and barometric pressure (25 °C and 760 millimeters of mercury or STP).

c. PMcoarse is also frequently referred to as $PM_{10\text{-}2.5}$.

PROPOSED CHANGES TO THE NETWORK

1. Lead Monitoring Network

Changes to airborne lead monitoring requirements were published in the Federal Register: December 27, 2010 (Volume 75, Number 247). These new rules require a plan for monitoring lead sources emitting 0.50 tons per year or more, revised from the previous requirement for monitoring sources emitting one ton per year or more. Airports are specifically exempted from these requirements except for a special study being conducted at specific airports, none of which are in Missouri.

1.1 Forest City, Exide monitoring site.

The 2012 Monitoring Network Plan proposed resumption of lead monitoring at a location near the Exide Secondary Lead Smelter in Forest City MO. At the time that plan was proposed a specific location for this monitor had not been identified since this special purpose monitor is not required by the minimum monitoring requirements of 40 CFR Part 58. After reviewing property ownership records and historical monitoring data the department and EPA Region VII Staff agreed that monitoring should be resumed at the former site AQS# 29-087-0008 Schuylkill Metals-West (also known as the "levee" site). Other historical monitoring sites were located on the smelter property and concerns over whether or not these locations could be considered ambient air consistent with 40 CFR Part 50.1(e) led to the decision in consultation with EPA Region VII staff to resume monitoring at the levee site where historical (July 1996 through March 2000) ambient air lead concentrations were monitored above the level of the 2008 lead standard but well below the 1978 lead NAAQS before the facility implemented emission controls. Figure 1.1.1 identifies the monitoring site location and aerial view of the facility and surrounding area.

Department and EPA Region VII monitoring unit staff visited the site on December 14, 2011 and confirmed that the site meets the applicable middle scale lead monitoring criteria and the monitoring probe and monitoring path siting criteria of Appendix D and E to Part 58 respectively. The monitoring method will utilize the low volume PM_{10c} sampler and Pb-PM_{10} analysis will be performed by X-ray Fluorescence (XRF) utilizing specifications and procedures in 40 CFR part 50 Appendix Q. If a three month rolling average of airborne lead greater than 0.15 $\mu g/m^3$ is monitored, the department will evaluate whether or not the low volume PM_{10c} sampler will be replaced or supplemented with a Pb-TSP sampler for a subsequent attainment demonstration.

Figure 1.1.1 Forest City Lead Monitoring Site



1. Forest City- Levee AQS# 29-087-0008 (formerly known as Schuylkill Metals-West)
2. Property boundary (source MDNR HWP/RCRA/Operating Facilities Unit)

★ Facility main entrance

1.2 Discontinuation of the Corridon monitoring site.

On January 10, 2012 department received notice from the property owner of the Corridon monitoring site (AQS# 29-179-0003, 415 RR1, Ellington MO 63638) that they would like the state to remove the sampler. The Corridon site is a SLAMS site, but the Sweetwater mine/mill facility is no longer a source of lead emissions over 0.5 tons per year according to the 2010 NEI (0.29 tpy). Ambient air monitoring data obtained from the site have yielded three month rolling averages below 80% of the lead NAAQS and for all but one month the three month rolling averages have been at or below 20% of the NAAQS. Department staff discussed this with EPA Region VII Staff and determined that there is little technical justification in continuing NAAQS compliance monitoring in this area for these reasons. EPA Region VII staff approved discontinuing the monitor on March 13, 2012.

1.3 Discontinuation of the Webb City monitoring site.

The department received notice on August 1, 2011 from the property owner of the Webb City Lead ambient air monitoring site (AQS # 29-097-0005, 2424 N. Main, Webb City, MO 64870) that they would like sampler removed from the property in August 2011 for reasons related to selling the property.

The ambient air monitoring results from this site as of April 2011 indicate that the highest 3-month average ambient air concentration was 0.017 $\mu g/m^3$ which is well below 80% of the 0.15 $\mu g/m^3$ lead NAAQS. Email correspondence from the MDNR Hazardous Waste Program/Superfund Section on Friday, March 26, 2011 indicates that the remediation in the area near this monitor has been completed for some time. Given the low monitored ambient air lead concentrations and the continued MDNR Superfund oversight of the remediation in the Tri-State lead area, additional ambient air monitoring or relocating the monitor in this area appears to be unnecessary.

The Webb City site was approved as a Special Purpose Monitoring Station (SPM) in the October 2009 Missouri Lead Monitoring Network Plan (page 46) and consistent with 40 CFR Part 58.20 (f), the State of Missouri does not need prior approval from EPA to discontinue the site. However the department provided notice to EPA that the site will be discontinued by the end of August 2011 and this change would be addressed in the 2012 Monitoring Network Plan.

1.4 Doe Run "City Hall" Lead monitor

On December 13, 2011 The Doe Run Company moved their City Hall lead monitor to the MDNR Mott St. Lead monitoring site as a result of pending property transfer between the Doe Run Company and the City of Herculaneum.

2. Sulfur Dioxide Monitoring Network

On June 2, 2010, the US EPA revised the primary sulfur dioxide standard by establishing a 1-hour standard at the level of 75 parts per billion, or ppb. The EPA revoked the two previous primary standards of 140 ppb evaluated over 24-hrs and 30 ppb evaluated over an entire year.

SO_2 monitoring will be resumed at Mark Twain State Park (MTSP) as a special purpose monitor (SPM) to provide background concentrations which are needed to support the Prevention of Significant Deterioration (PSD) permitting program. No additional changes to the SO_2 network are proposed for 2013.

Missouri Statewide and the Surrounding SO_2 Monitoring Network, 2012
1-hour NAAQS = 75 ppb



Site# SiteName (09-11DV^^)
St. Louis Area, MO
01 Margaretta (40)
02 Blair Street (41*)
03 Herculaneum, Main Street** (219)
04 Herculaneum, Mott Street (164***)
Kansas City Area, MO
05 Troost (159)
Springfield Area, MO
06 South Charleston (62)
07 Wildwood Lane**** (72)
08 James River-South**** (81)

Site# SiteName (09-11 DV^^)
Outstate Area, MO
09 Buick NE (94***)
10 Mark Twain State Park^
St. Louis Area, IL
11 Wood River (43)
12 South Roxana (53)
13 East St. Louis (28)
Kansas City Area, KS
14 JFK (47)

*2010-2011 99th percentile Average
**Relocated to Mott Street
***2011 99th percentile
****Industry monitor
^To resume monitoring operations
^^Quality assured data

3. National Air Toxics Trends Stations (NATTS), and other Non- Criteria Pollutant Special Purpose Monitoring.

3.1 National Air Toxics Trends Stations Monitoring:

In addition the regular NATTS monitoring at Blair St., the department and EPA staff are negotiating whether additional NATTS grant funds could be utilized to support collocating a near real time PM_{10} Metals Monitor (Xact™ 620) at the NATTS site to increase understanding of the temporal variation of metals in the ambient air (particularly arsenic and lead) routinely measured by the time integrated 24-hr filter based PM_{10} sampling at this site. This project will be useful in supplementing ambient air monitoring data objectives addressed in EPA's multi pollutant strategy.

3.2 Organic and Elemental Carbon Monitor Evaluation Project

EPA Office of Air Quality Planning and Standards contacted the EPA Regional Office and the state of Missouri about participating in a three year monitor evaluation study scheduled to begin in the summer/fall of 2011. As part of the project the EPA would provide the monitor and certain related components in exchange for the state providing in-kind staff time to operate and report data to the EPA Air Quality System (AQS) from the instrument. The proposed location for the study is the Blair St. Site since the site is currently part of the NCore, NATTS and Chemical Speciation monitoring programs and data from the Blair St. site is used extensively in various health and air pollution studies. Since elemental and organic carbon account for a significant amount of the particulate matter mass measured at this site at various times, understanding the temporal variation in carbon species relative to the 24-hr integrated filter based carbon data will be useful in understanding the local source contributions and diurnal variation in the carbon concentrations. This project will be useful in supplementing ambient air monitoring data objectives addressed in EPA's multi pollutant strategy.

Currently the preliminary near real-time monitoring data for this monitor is being reported each hour to the State of Missouri web page. EPA OAQPS and MDNR staff are working on the data format coding necessary to facilitate AQS and AirNow data reporting.

3.3 Black Carbon

As part of the condition of receiving one time section 103 Grant funds to implement some of the near-roadway monitoring network the department will conduct special purpose $PM_{2.5}$ Black Carbon monitoring at the Forest Park near roadway NO_2 site using an Aethalometer. Black Carbon Monitoring at the other near roadway sites is being evaluated contingent on available funding.

4. $PM_{2.5}$ Monitoring Network

The current $PM_{2.5}$ 103 Grant Work plan (April 2012 – March 2013) includes purchasing four new TEOM 1405-DF continuous $PM_{2.5}$ monitors and four new data loggers to upgrade aging TEOM-FDMS-8500C monitors at Troost and Ladue. One new monitor will be used to satisfy the network FEM/FEM collocation requirements of Part 58 Appendix A and the remaining monitor will be used as a network spare. One additional Special Purpose Micro scale $PM_{2.5}$ monitor is proposed for the Forest Park near-roadway monitoring site.

The PM_{10c} (local conditions of ambient temperature and barometric pressure) channel and PMcoarse ($PM_{10-2.5}$) channel from the TEOM-1405-DF will be reported for each site as a special purpose monitor since they are available simultaneously with the $PM_{2.5}$ FEM channel but neither is currently designated as a Federal Equivalent Method. This will provide more temporal and special coverage for the various fractions of particulate matter at the $PM_{2.5}$ monitoring sites in the network. The manufacturer of the TEOM-1405-DF is in the process of obtaining a Federal Equivalent Method designation for both the PM_{10} and PMcoarse channels on the TEOM-1405-DF monitor.

Network $PM_{2.5}$ collocated FRM requirements are satisfied at Blair St. NCore site in St. Louis and the Troost site in Kansas City. The following page reports the FRM/Federal Equivalent Method Comparability statistics (Class III performance criteria of 40 CFR Part 53) for one year of the TEOM-1405-DF EQPM-0609-182 operating at the Blair St. St. Louis NCore site.

Class III Performance Criteria of 40 CFR Part 53
Blair St. St. Louis Air Quality System # 29-510-0085
TEOM-1405-DF, EQPM-0609-182 ($PM_{2.5}$)
January 6, 2011 through December 31, 2011
Preliminary State Data Using All Daily Collocated Sample Pairs

Summary - Candidate ARM Comparability

Applicant:	Missouri Department of Natural Resources
Candidate method:	R&P 2025 PM 2.5 FRM vs. TEOM DF-FEM - FEM Settings Class III, No data transformation
Test site:	Blair Street, NCore - (Site location 29-510-0085)

Data sets	Number
Valid data sets available:	305
Number of valid data sets required for ARM Comparison:	**90**
Number of valid data sets for this test is:	**OK**
Additional data sets needed:	--

Precision (if data are available)	Data set mean, µg/m³		Data set precision, µg/m³		Relative precision (CV)	
	FRM	Candidate	FRM	Candidate	**FRM**	**Candidate**
Mean:	**11.9**	**12.4**	**0.3**		**2.2%**	
Maximum:	35.7	38.9	275.8%		23.5%	
Minimum:	1.4	1.2	0.0%		0.0%	
Candidate / FRM Ratio:		104.4%				
RMS Relative Precision for this site:					**4.1%**	
Test requirements - Class III:					**10.0%**	**15.0%**
Precision Test Results for site:					**OK**	



Regression statistics		**Slope[1]**	**Intercept[2]**	**Correlation (r)**
Statistics for this test site:		**0.997**	**0.600**	**0.97982**
Limits for	**Upper:**	**1.100**	**1.896**	
Class III	**Lower:**	**0.900**	**-2.000**	**0.95000**
Test Results (Pass/Fail):		**PASS**	**PASS**	**PASS**

[1]Multiplicative bias [2]Additive bias





REVISED $PM_{2.5}$ MONITORING NETWORK

Site	Schedule*	Type	Agency	NAAQS
St. Louis				
1. Blair St.	1	FRM	ESP	24 hr & Annual, NCore PMcoarse
	6	Collocated	ESP	Doubles as PMcoarse collocated sampler
	3	Speciation	ESP	
	H	TEOM-1405-DF FEM	ESP	AQI, NCore PM10-2.5 continuous
2. Branch St.	H	TEOM-1405-DF FEM	ESP	24 hr & AQI (Middle Scale Monitor)
3. South Broadway	H	TEOM-1405-DF FEM	ESP	24 hr & Annual/AQI
4. Ladue	H	TEOM-1405-DF FEM	ESP	24 hr & Annual/AQI
5. Arnold West	3	Speciation	ESP	
	H	TEOM-1405-DF FEM	ESP	24 hr & Annual/AQI
6. Forest Park (near-roadway)	H	TEOM-1405-DF FEM	ESP	24 hr & AQI (Micro Scale Monitor)
Kansas City				
7. Liberty	3	Speciation	ESP	
	H	TEOM-1405-DF FEM	ESP	24 hr & Annual/AQI
8. Troost	6	Collocated FRM	ESP	24 hr & Annual (Quality Assurance)
	H	TEOM-1405-DF FEM	ESP	24 hr & Annual/AQI
9. Richards-Gebaur South	H	TEOM-1405-DF FEM	ESP	24 hr & Annual/AQI
Springfield				
10. MSU	H	TEOM-1405-DF FEM	ESP	AQI, PM10-2.5 continuous
St. Joseph				
11. Pump Station	H	TEOM-1405-DF FEM	ESP	24 hr & Annual/AQI, PM10-2.5 continuous
	H	TEOM-1405-DF FEM	ESP	Collocated FEM-PM2.5
Outstate				
12. El Dorado Springs	H	TEOM-1405-DF FEM	ESP	24 hr & Annual/AQI
	3	IMPROVE	ESP	
13. Bonne Terre	3	Speciation	ESP	
14. Mingo	3	IMPROVE	Fish & Wildlife Service	
15. Hercules Glades	3	IMPROVE	Forest Service	
* 1 = Everday sampling; 3 = Every third day; 6 = Every sixth day; H = Continuous monitoring, hourly data reported.				

5. Ozone Monitoring Network

There are no plan changes to the ozone monitoring network, however ozone monitoring will be conducted all year at the Mark Twain State Park (MTSP) site to collect ozone background data need for PSD modeling projects. The current monitoring network is based on the current ozone standard and ground-level ozone air quality monitoring network design requirements.

Missouri Statewide Ozone (O_3) Monitoring Network, 2012
2008 Primary 8-hour NAAQS = 75 Parts per Billion (ppb)



6. PM_{10} Monitoring Network

6.1 Method Changes

The filter based PM_{10} monitoring at MSU and Front St. will be replaced by the continuous R & P TEOM® 1400, 1400a EQPM-1090-079 PM_{10} FEM monitor to increase the temporal availability of PM_{10} NAAQS compliance monitoring in these areas. Hourly PM_{10} data will provide more data for particulate matter episode analysis.

6.2 Hall St. PM_{10} site AQS #29-510-0088 Discontinued

Several property access agreements needed to be addressed as a result of the transition of Local Air Agency ambient air monitoring activities to the State of Missouri. The State of Missouri was not able to negotiate an access agreement with the property owner of the Hall St site and Monitoring was discontinued on April 24, 2012 at the request of the property owner.

Department staff attempted to locate another suitable monitoring site just north of this location at an Ameren UE substation, but safety requirements at this location did not allow for leasing of the space. Other nearby candidate monitoring monitoring sites either do not meet the applicable siting criteria of 40 CFR Part 58 or stable property ownership and the potential for property vandalism appears to be a concern for successful long term monitoring. For these reasons the department requests that EPA review the following criteria and approve permanently discontinuing the site.

50 CFR Part 58.14 identifies conditions und which SLAMS monitors may be approved by the EPA Regional Administrator to be discontinued. The PM_{10} NAAQS is based on an Expected Exceedance form consistent with Appendix K to Part 50.

- The site is not currently in violation of the PM_{10} NAAQS.
- The site has not monitored an exceedance of the PM_{10} standard since March 12, 2007.
- The site is not required in any PM_{10} Attainment or Maintenance plan.
- Another PM_{10} site, Branch Street AQS# 29-510-0093, is monitoring a higher PM_{10} design value and is located in the same county.
- The minimum monitoring requirements cited in 40 CFR Part 58 Appendix D for PM_{10} in the St. Louis CBSA is still satisfied by the total number (six) of PM_{10} monitors remaining in the St. Louis MO/IL CBSA after the site is discontinued.

As discussed in Section 4, the TEOM-1405-DF monitor has the capability of reporting the PM_{10c} (PM_{10} at local conditions of ambient temperature and barometric pressure) along with the FEM $PM_{2.5}$ measurements. Once the TEOM 1405-DF obtains a PM_{10} FEM designation, the number of Special Purpose NAAQS comparable continuous PM_{10} monitors will increase in the St. Louis area by four (4) sites (Blair St., Ladue, South Broadway and the new Forest Park Near Roadway site) which will bolster the count toward the PM_{10} minimum monitoring requirements in this CBSA to a total count of ten (10) monitors.

For these reasons the department requests that the EPA Regional Administrator approve permanently discontinuing the Hall St. PM_{10} monitoring site because the discontinuance does not compromise the data collection needed for implementation of the PM_{10} NAAQS and the requirements of 40 CFR Part 58, Appendix D continue to be met.

Missouri Statewide PM_{10} Monitoring Network, 2012
24-hour NAAQS = 150 Micrograms per Cubic Meter ($\mu g/m^3$)



Site#	SiteName (09-11 # of Expected Exceedances*)
St. Louis Area	
01	Margaretta**(0.0)
02	Blair Street^
03	Branch Street**^(0.7)
04	Forest Park^"
05	South Broadway^
06	Ladue^
07	Oakville** (0.00)
08	Arnold West^

Site#	SiteName (09-11 # of Expected Exceedances*)
Kansas City Area	
09	Liberty^
10	Front Street~+(0.0)
11	Troost^~(0.0)
12	Richards Gebaur-South^

Site#	SiteName (09-11 # of Expected Exceedances*)
Springfield Area	
13	Missouri State University~^+(0.0)
Outstate Area	
14	Carthage** **(1.7)**
15	El Dorado Springs^
16	Mark Twain State Park**(0.0)
17	St. Joseph State Park~^(0.0)

Quality Assured data through Dec 31st, 2011
***PM10-Continuous*
^PM10-Local Condition. Method not yet designated as a Federal Equivalent Method
~PM10-Filter based
'Near Road NO2 site (Yet to be established)
+PM10-Continuous to replace PM10-Filter based
Red & Bold: Violation of the standard.
The 24-hour standard is attained when the expected number of exceedances is less than or equal to one when averaged over 3 calendar years.

Missouri Department of Natural Resources
Division of Environmental Quality
Air Pollution Control Program
Patricia Maliro, May 2012

7. Nitrogen Dioxide (NO_2) Monitoring Network

The department intends to add one near-roadway NO_2 monitor to the network at the Forest Park I-40/64 near-roadway monitoring site by January 1, 2013. The Community-wide monitoring network requirement is satisfied by the existing Troost and Margaretta monitoring sites.

7.1 NO_2 SLAMS Network

Missouri Statewide Nitrogen Dioxide (NO_2) Monitoring Network, 2012
1-hour NAAQS = 100 ppb



Site# SiteName (09-11 DV*)

St. Louis Area
- 01 Margaretta (52)
- 02 Blair Street
- 03 Forest Park**

Kansas City Area
- 04 Troost (52)

**Validated data through December 31st, 2011*
No violation of the 1-hour standard
***Near Road NO2 Site (Yet to be installed)*

Missouri Department of Natural Resources
Division of Environmental Quality
Air Pollution Control Program
Patricia Maliro, May 2012

7.2 NO_2 Near-Roadway Monitoring

7.2.1 Near-Road Monitoring Requirements

NO_2: The final rule revising the NAAQS to add the 1-hour standard of 100 ppb (3-year average of annual 98th percentile), signed 1/22/2010 and published 2/9/2010 requires near-road NO_2 monitoring at two sites in the St. Louis CBSA (population 2.8 million) and one site in the Kansas City CBSA (population 2.0 million) (based on population and traffic count). Sites are to be identified in the 7/2012 air monitoring plan and begin operation by 1/1/2013. Because of resource and other constraints, EPA staff have, over the last several months, proposed a relaxation of this schedule. EPA staff have recently communicated that this schedule change would likely be included in a rule change that would require the first St. Louis area near-road site to begin operation in January 2014, the Kansas City area site in January 2014, and the second St. Louis area site January 2015. Based in part on communication with EPA Region VII staff, the department intends to establish the first St. Louis area site in January 2013, the Kansas City area site in January 2014, and the second St. Louis area site in January 2015. This schedule is subject to availability of funds.

CO: The final rule continuing the NAAQS, signed 8/12/2011 and published 8/31/2011 requires near-road CO monitoring (collocated with NO_2 sites) at one site in the St. Louis CBSA by 1/2015 and one site in the Kansas City CBSA by 1/2017. The department intends to establish CO monitoring at the same time as NO_2 monitoring, as described above.

Near-road monitoring stations must be within 50 meters (164 feet) of target road segments to measure expected peak concentrations, and should be within about 20 meters of the roadway. Microscale near-road NO_2 monitors must have inlets between 2 and 7 meters above ground level. Microscale near-road CO monitors must have inlets 3±½ meters above ground level.

EPA Guidance

EPA issued drafts of a Near-road NO_2 Monitoring Technical Assistance Document (TAD) on 8/11/2011 and 12/21/2011. The final TAD is expected to be released in 2012. The TAD is available online at http://www.epa.gov/ttn/amtic/nearroad.html The TAD includes recommendations on site selection that were used in the analysis described below.

7.2.2 Analysis and Site Selection for the St. Louis Area

Traffic counts (annual average daily traffic; AADT) for major highway segments in Missouri are available on a Missouri Department of Transportation (MODOT) website at http://www.modot.mo.gov/safety/trafficvolumemaps.htm Truck volumes are also indicated for some, but not all highway segments. The maximum 2010 AADT in the St. Louis area is 183,813.

The TAD recommends ranking segments by AADT and also by weighted AADT, where heavy-duty vehicles are weighted a factor of 10 times higher. Table 7.2-1 lists highway segments with

AADT greater than 100,000 (and a few additional segments included for continuity). The numbers in the left column are arbitrary location identifiers. Table 7.2-2 adds weighted AADT using truck volumes from the MODOT maps where available and using interpolated or extrapolated truck volumes otherwise.

For the St. Louis area, as shown in Tables 7.2-3 and 7.2-4, the eight segments with highest AADT were the same as the eight segments with the highest weighted AADT.

Figure 7.2-1 shows the locations of these eight segments superimposed on a portion of one of the MODOT AADT maps. The four segments with the highest AADT, unweighted or weighted (no. 39, 40, 41, and 42), are on I-270 between Page Avenue (highway 364) to the north and I-44 to the south. Two of the segments are on I-64 between I-170 to the west and Kingshighway Boulevard to the east, adjacent to the southern boundary of Forest Park. The remaining two segments are on I-70 just west of I-270, and on I-270 between highway 370 on the west and Lindbergh Boulevard on the east.

Figure 7.2-2 shows a wind rose for recent multiple years (2002 to 2006) at the St. Louis airport. The wind rose suggests that a near-road monitoring site would, in general, be best located in a direction from north to east of a target roadway.

Table 7.2-1.

St. Louis Area Traffic Counts > 100,000 AADT (2010)					
Ranked by AADT					
No.	**Highway**	**Location**	**AADT**		
41	I270 (n to s)	s of 64	183,813		
40	I270 (n to s)	n of 64	176,384		
39	I270 (n to s)		175,022		
42	I270 (n to s)	n of 44	174,973		
16	US40/I64 (w to e)	e of 170	173,236		
36	I270 (n to s)	e of 370	166,108		
6	I70 (west to east)	w of 270	161,338		
17	US40/I64 (w to e)		159,326		
38	I270 (n to s)	s of 70	157,483		
43	I270 (n to s)	s of 44	155,464		
5	I70 (west to east)		148,056		
14	US40/I64 (w to e)	e of 67	145,940		
34	I270 (n to s)	e of 170	141,577		
22	I44 (w to e)		141,541		
8	I70 (west to east)	e of 67	140,853		
21	I44 (w to e)		138,031		
15	US40/I64 (w to e)	w of 170	137,403		
2	I70 (west to east)	e of 79	135,074		
9	I70 (west to east)	e of 170	135,061		
20	I44 (w to e)		134,961		
4	I70 (west to east)	e of 94	130,566		
13	US40/I64 (w to e)	e of 270	129,909		
35	I270 (n to s)	w of 170	126,394		
37	I270 (n to s)	w of 370	123,378		
7	I70 (west to east)	e of 270	122,444		
27	I55 (n to s)	s of 270	121,525		
29	I170 (n to s)	s of 70	121,164		
10	I70 (west to east)		118,591		
3	I70 (west to east)	e of 370	116,010		
1	I70 (west to east)	w of 79	115,967		
32	I170 (n to s)	n of 64	115,797		
12	US40/I64 (w to e)	w of 270	113,732		
26	I55 (n to s)	n of 270	112,984		
31	I170 (n to s)		109,321		
33	I270 (n to s)	w of 367	108,774		
30	I170 (n to s)		106,961		
28	I55 (n to s)		101,882		
19	I44 (w to e)	e of 61	100,841		
23	I55 (n to s)	s of 64	100,615		
11	I70 (west to east)		95,690		
24	I55 (n to s)	s of 44	91,910		
18	US40/I64 (w to e)		91,109		
25	I55 (n to s)		86,323		

Table 7.2-2.

	St. Louis Area Traffic Counts > 100,000 AADT (2010) (as entered/unranked)						
No.	**Highway**	**Location**	**AADT**	**Truck AADT**	**Truck/Total**	**est T/T**	**adj AADT**
1	I70 (west to east)	w of 79	115,967			0.117	238,137
2	I70 (west to east)	e of 79	135,074	15,811	0.117	0.117	277,373
3	I70 (west to east)	e of 370	116,010			0.137	258,658
4	I70 (west to east)	e of 94	130,566			0.137	291,112
5	I70 (west to east)		148,056			0.137	330,108
6	I70 (west to east)	w of 270	161,338			0.137	359,722
7	I70 (west to east)	e of 270	122,444	19,125	0.156	0.156	294,569
8	I70 (west to east)	e of 67	140,853	17,260	0.123	0.123	296,193
9	I70 (west to east)	e of 170	135,061			0.161	330,317
10	I70 (west to east)		118,591			0.146	274,868
11	I70 (west to east)		95,690	19,016	0.199	0.199	266,834
12	US40/I64 (w to e)	w of 270	113,732	10,704	0.094	0.094	210,068
13	US40/I64 (w to e)	e of 270	129,909			0.107	254,972
14	US40/I64 (w to e)	e of 67	145,940	17,486	0.120	0.120	303,314
15	US40/I64 (w to e)	w of 170	137,403			0.135	304,829
16	US40/I64 (w to e)	e of 170	173,236	26,152	0.151	0.151	408,604
17	US40/I64 (w to e)		159,326			0.151	375,795
18	US40/I64 (w to e)		91,109			0.151	214,895
19	I44 (w to e)	e of 61	100,841			0.117	207,075
20	I44 (w to e)		134,961			0.117	277,140
21	I44 (w to e)		138,031	16,157	0.117	0.117	283,444
22	I44 (w to e)		141,541			0.117	290,652
23	I55 (n to s)	s of 64	100,615			0.131	219,346
24	I55 (n to s)	s of 44	91,910	12,051	0.131	0.131	200,369
25	I55 (n to s)		86,323			0.131	188,189
26	I55 (n to s)	n of 270	112,984			0.131	246,312
27	I55 (n to s)	s of 270	121,525			0.131	264,931
28	I55 (n to s)		101,882			0.131	222,109
29	I170 (n to s)	s of 70	121,164			0.137	270,287
30	I170 (n to s)		106,961			0.137	238,604
31	I170 (n to s)		109,321			0.137	243,868
32	I170 (n to s)	n of 64	115,797			0.137	258,315
33	I270 (n to s)	w of 367	108,774	20,059	0.184	0.184	289,305
34	I270 (n to s)	e of 170	141,577			0.151	333,626
35	I270 (n to s)	w of 170	126,394			0.151	297,848
36	I270 (n to s)	e of 370	166,108			0.151	391,434
37	I270 (n to s)	w of 370	123,378			0.151	290,740
38	I270 (n to s)	s of 70	157,483	18,431	0.117	0.117	323,362
39	I270 (n to s)		175,022			0.153	416,802
40	I270 (n to s)	n of 64	176,384			0.153	420,046
41	I270 (n to s)	s of 64	183,813			0.153	437,738
42	I270 (n to s)	n of 44	174,973	33,236	0.190	0.190	474,097
43	I270 (n to s)	s of 44	155,464	18,198	0.117	0.117	319,246
				average	0.140	0.138	

Table 7.2-3.

St. Louis Area Traffic Counts > 100,000 AADT (2010)					
Ranked by AADT					
No.	**Highway**	**Location**	**AADT**		
41	I270 (n to s)	s of 64	183,813		
40	I270 (n to s)	n of 64	176,384		
39	I270 (n to s)		175,022		
42	I270 (n to s)	n of 44	174,973		
16	US40/I64 (w to e)	e of 170	173,236		
36	I270 (n to s)	e of 370	166,108		
6	I70 (west to east)	w of 270	161,338		
17	US40/I64 (w to e)		159,326		

Table 7.2-4.

St. Louis Area Traffic Counts > 100,000 AADT (2010)					
Ranked by adjusted AADT, trucks =14% (average)					
No.	**Highway**	**Location**	**AADT**	**Adj. AADT**	
41	I270 (n to s)	s of 64	183,813	415,417	
40	I270 (n to s)	n of 64	176,384	398,628	
39	I270 (n to s)		175,022	395,550	
42	I270 (n to s)	n of 44	174,973	395,439	
16	US40/I64 (w to e)	e of 170	173,236	391,513	
36	I270 (n to s)	e of 370	166,108	375,404	
6	I70 (west to east)	w of 270	161,338	364,624	
17	US40/I64 (w to e)		159,326	360,077	

Figure 7.2-1



Figure 7.2-2.


WIND ROSE PLOT:
Lambert, St. Louis Airport Wind Data
2002 - 2006
DISPLAY:
Wind Speed
Direction (blowing from)
NORTH
EAST
SOUTH
WEST
2%
4%
6%
8%
10%
WIND SPEED
(m/s)
>= 11.1
8.8 - 11.1
5.7 - 8.8
3.6 - 5.7
2.1 - 3.6
0.5 - 2.1
Calms: 7.74%
COMMENTS:
DATA PERIOD:
2002-2006
Jan 1 - Dec 31
00:00 - 23:00
COMPANY NAME:
MODELER:
CALM WINDS:
7.74%
TOTAL COUNT:
43824 hrs.
AVG. WIND SPEED:
3.91 m/s
DATE:
4/30/2009
PROJECT NO.:
WRPLOT View - Lakes Environmental Software

Field Evaluation and Description of Potential St. Louis Area Monitoring Sites

On December 22, 2011 Missouri Department of Natural Resources Air Pollution Control Program (APCP) and Environmental Services Program (ESP) staff visited potential monitoring sites in the vicinity of the highway segments identified above. On February 15, 2012, APCP staff revisited some of the sites with Mr. Leland Grooms, Air Monitoring Team Leader for EPA Region VII. This section presents discussion of the suitability of the sites.

I-270 north of I-44: The area near I-270 just north of I-244 is heavily wooded. It is also somewhat hilly. No suitable monitoring sites were identified in this area.

I-270 north of I-64: The Saint Johns Mercy Medical Center complex is on McCauley Drive in Creve Coeur, adjacent to (east of) I-270 and about ½ mile north of I-64. The area between McCauley Drive and I-270 is at the same level as the roadway, and would meet siting criteria for a near-road monitoring station. This location is in a desirable direction (E) from and in close proximity (25 meters) to the section of highway with the highest AADT in the St. Louis area, and also not far (about 1 kilometer) from another highway with high AADT. The potential for congestion may be less than that for the Forest Park area because of the higher number of traffic lanes. It may be difficult to secure permission to locate an air monitoring station in the landscaped area adjacent to the highway. The division between MODOT and hospital property is not obvious. This location would provide some indication of the exposure of a sensitive population because of its proximity to the medical center and to nearby residential areas.

I-64 between I-270 and Kingshighway Boulevard (Forest Park): Forest Park in St. Louis is bounded by Skinker Boulevard on the west, Lindell Boulevard on the north, Kingshighway Boulevard on the east, and I-64 on the south. Two locations near the southeast corner of the park were identified that would meet siting criteria, adjacent to the St. Louis Mounted Police barn near the planetarium, and near the greenhouses behind park office buildings (see Figures 7.2-3). This location is in the desired direction (N) from and in close proximity (20 to 25 meters) to a highway with high AADT and high potential for congestion. This location would provide some indication of population exposure, since there is a jogging or biking trail along the park boundary adjacent to the highway, and hospital complexes to the east of Forest Park.

I-70 west of I-270: Rider Trail S. and Hollenberg Drive (same street, changes name) is roughly parallel to and north of I-70 in Bridgeton between I-270 to the east and Earth City Expressway to the west. Two locations in this area were identified that would meet siting criteria, near the southeast corner of the CAPS Inc. building, and across the street from the Marriott Courtyard. Either of these locations is in a desirable direction (N) from and in relatively close proximity (20 to 30 meters) to a highway segment with a relatively high AADT but less potential for congestion than the Forest Park location. The difficulty of securing permission to locate an air monitoring station is unknown. The area near this location is primarily commercial and residential, so would provide some indication of population exposure.

I-270 east of Highway 370 and west of Lindbergh Boulevard: Two locations in this general area were identified that would meet siting criteria. One area is in Hazelwood at the end of Brookes Drive on the south side of I-270, adjacent to Bommarito Volkswagen and Brookes Park. This location is in a non-optimal direction (S) from a highway segment with high AADT and potential

congestion, but not as close (30 meters) to the highway as some of the other sites evaluated. The difficulty of securing permission to locate an air monitoring station is unknown. The area near this location is primarily commercial and residential, so would provide some indication of population exposure.

The second area is on the north side of I-270, southeast of the Prairie Commons Branch Library, north of Dunn Road, east of Utz Lane, southwest of Hazelwest Drive, in either Hazelwood or an unincorporated area of St. Louis County. The location near the library is in a desirable direction (N) from a highway segment with high AADT and potential congestion, but not as close (35 meters) to the highway as some of the other sites evaluated because of a frontage road between the site and the highway. The difficulty of securing permission to locate an air monitoring station might be less than at some sites if the location is on the library property. The area near this location is primarily commercial and residential, so would provide some indication of population exposure.

St. Louis Area Site Ranking

Some of the characteristics of each location are summarized in Table 7.2-5, which lists the locations in order of ranking. The table includes an indicator of the potential for congestion at each location, the ratio of AADT to number of traffic lanes (as suggested in the TAD).

As discussed above, truck counts are not available for all road segments and so were estimated by interpolation or extrapolation. Unfortunately, none of the road segments immediately adjacent to the locations of interest have truck counts, but only estimated truck fractions. The estimated fractions are not different enough to discriminate between locations on that basis.

An additional consideration, not shown in the table, is the potential likelihood of securing permission from landowners for location of an air monitoring station.

Based on AADT, congestion, distance and direction from the roadway, and likelihood of securing permission to locate a monitoring station, the locations are ranked in approximately the order listed in Table 7.2-5. Based in part on the February 15, 2012 site visits, EPA Region VII staff generally approved all of the sites and identified the site in Forest Park as first choice, consistent with this evaluation.

Table 7.2-5.

		Summary and Approximate Ranking of Sites					
Location	Highway	AADT	Lanes	AADT/Lanes	Estimated Truck Fraction	Approx. Distance to Roadway (m)	Direction from Roadway
Forest Park	64	159,326	8	19,916	0.151	20-25	N
Hospital	270	176,384	12	14,699	0.153	25	E
CAPS/Courtyard	70	161,338	11	14,667	0.137	20-30	N
Library	270	166,108	8	20,764	0.151	35	N
Brookes	270	166,108	9	18,456	0.151	30	S

Selection of First St. Louis Area Site

ESP staff contacted St. Louis City Parks staff by telephone in late February 2012 and discussed the possibility of locating an air monitoring site in Forest Park adjacent to Interstate 64. On March 1, 2012, ESP staff met with St. Louis City Parks staff in Forest Park. During that visit, a specific site to the west of the greenhouses was identified which is acceptable to City Parks staff (see Figures 7.2-4 and 7.2-5). The monitoring site is elevated a few feet above the level of the roadway, but not enough to be a concern. The 10-meter meteorological instrument tower may need to be located at a slightly greater distance from the roadway than the air monitoring shelter in order to keep it away from power lines. Based on the analysis and site visits described above, APCP recommends the Forest Park site identified during the March 1, 2012 as the first near-road monitoring site for the St. Louis area. Agreement for use of this site has been negotiated between Missouri Department of Natural Resources and St. Louis City, and operation of this site is expected to begin January 2013.

Second St. Louis Area Site

The second St. Louis area site, which will begin operation in January 2014, will probably be selected from one of the candidate sites identified above or at least from the areas identified above. One consideration will be selection of a site with different traffic patterns and/or a different mix of vehicles than the Forest Park site.

Figure 7.2-3. Aerial photographs of Forest Park in St. Louis and I-64 (along the southern edge of the park). The lower photograph shows the identified location for an air monitoring station near the greenhouses in Forest Park. The arrow extends from the area of interest in one photograph to the same area in the other photograph.

Figure 7.2-4. Looking east along Interstate 64. The monitoring site will be on the paved area inside the fence to the left. The jogging or biking path along the park perimeter extends straight ahead, and Interstate 64 is to the right.

Figure 7.2-5. Looking south across Interstate 64. The monitoring site will be inside the fence near where the two persons are standing.

7.2.3 Analysis for the Kansas City Area

Analysis for the Kansas City area has also been done that is similar to that described above for the St. Louis area. Table 7.2-6 lists highway segments with AADT greater than 50,000. The maximum 2010 AADT in the St. Louis area is 152,856. Table 7.2-7 adds weighted AADT using truck volumes from the MODOT maps where available and using interpolated or extrapolated truck volumes otherwise.

For the Kansas City area, as shown in Tables 7.2-8 and 7.2-9, the eight segments with highest weighted AADT were the same as eight of the ten segments with the highest AADT (highlighted in Tables 7.2-6, 7.2-8, and 7.2-9).

Figure 7.2-6 shows the locations of these eight segments superimposed on a portion of one of the MODOT AADT maps. Four of the segments are on I-70 extending from I-435 on the west to a point between I-470 and Highway 7 on the east. Two of the segments are on I-435 between the Missouri/Kansas state line on the west and Highway 71 on the east. Two additional segments are on I-70 east of I-29 and on I-35 south of I-670, both in the central Kansas City area, shown on the inset map in the figure.

Figure 7.2-7 shows a wind rose for recent multiple years (2002 to 2006) at the Kansas City airport. The wind rose suggests that a near-road monitoring site would, in general, be best located north of a target roadway.

Preliminary Evaluation of Kansas City Area Sites

Based on review of aerial photographs of the identified segments and on a brief visit to the areas, suitable monitoring sites are most likely to be found in the first two areas described above, I-70 between I-435 on the west and a point between I-470 and Highway 7 on the east and I-435 between the Missouri/Kansas state line on the west and Highway 71 on the east. Aerial photographs of these two areas are shown in Figures 7.2-8 and 7.2-9. Field evaluation of potential monitoring sites is expected to be concentrated in these two areas on the north side of the respective roadways.

Table 7.2-6

Kansas City Area Traffic Counts > 50,000 AADT (2010)					
Ranked by AADT					
No.	**Highway**	**Location**	**AADT**		
13	I435S	e of st l	152,856		
46	I70	e of 670	135,266		
12	I435S	bet 71 & st l	129,464		
22	I35	s of 670	118,097		
49	I70	e of 435	114,495		
50	I70		114,034		
8	I435E	n of 70	103,008		
35	I670	e of 35	99,388		
52	I70	e of 470	98,488		
51	I70	w of 470	98,244		
26	71		93,692		
20	I29/I35	s of 24	92,249		
44	I70	at 29/35/70?	92,249		
7	I435E	s of 24	90,778		
25	71		90,385		
29	71	s of 50	89,131		
9	I435E	s of 70	88,710		
48	I70	w of 435	85,528		
3	I29	w of 169	83,933		
6	I435E	s of 210	82,545		
23	I35	e of st l	80,181		
43	I70	e of 169	79,980		
45	I70	s of 29/35/70	77,323		
2	I29	s of 152	75,952		
30	71		74,995		
39	I470	e of 71	74,891		
24	71	s of 670	73,392		
10	I435E	s of 350	73,354		
19	I29/I35	n of 24	72,054		
31	71	n of 150	71,248		
32	71	s of 150	69,724		
47	I70		69,715		
53	I70	w of 7	69,390		
40	50	s of 470	69,228		
16	I35	w of 1	68,634		
42	I70	e of st l	68,318		
28	71	n of 435	67,735		
11	I435E	n of 71	66,386		
4	I29	w of 35	65,994		
27	71		65,107		
36	I470	s of 40	64,739		
5	I435E	s of 35	63,464		
34	I670	w of 35	61,233		
33	I670	e of st l	61,208		
37	I470		59,514		
18	I29/I35	s of junction	59,044		
38	I470	e of 50	58,863		
21	I35	s of 70	58,389		
14	I35	s of 152	56,716		
41	50	w of 291	55,759		
17	I35	e of 29	53,185		
15	I35	w of 435E	52,884		
1	I435/I29	near MCI	50,153		

Table 7.2-7

	Kansas City Area Traffic Counts > 50,000 AADT (2010) (as entered/unranked)						
No.	**Highway**	**Location**	**AADT**	**Truck AADT**	**Truck/Total**	**est T/T**	**adj AADT**
1	I435/I29	near MCI	50,153			0.058	76,147
2	I29	s of 152	75,952	4,374	0.058	0.058	115,318
3	I29	w of 169	83,933			0.058	127,436
4	I29	w of 35	65,994			0.058	100,199
5	I435E	s of 35	63,464			0.115	128,902
6	I435E	s of 210	82,545	9,457	0.115	0.115	167,658
7	I435E	s of 24	90,778			0.135	200,886
8	I435E	n of 70	103,008			0.135	227,951
9	I435E	s of 70	88,710			0.135	196,310
10	I435E	s of 350	73,354	11,368	0.155	0.155	175,666
11	I435E	n of 71	66,386			0.155	158,979
12	I435S	bet 71 & st l	129,464			0.155	310,037
13	I435S	e of st l	152,856			0.155	366,055
14	I35	s of 152	56,716			0.166	141,604
15	I35	w of 435E	52,884	5,748	0.109	0.109	104,616
16	I35	w of 1	68,634	14,388	0.210	0.210	198,126
17	I35	e of 29	53,185			0.162	130,779
18	I29/I35	s of junction	59,044	6,765	0.115	0.115	119,929
19	I29/I35	n of 24	72,054			0.155	172,584
20	I29/I35	s of 24	92,249			0.155	220,955
21	I35	s of 70	58,389			0.155	139,853
22	I35	s of 670	118,097			0.155	282,866
23	I35	e of st l	80,181			0.155	192,049
24	71	s of 670	73,392			0.067	117,333
25	71		90,385			0.067	144,500
26	71		93,692			0.067	149,787
27	71		65,107			0.067	104,088
28	71	n of 435	67,735	4,506	0.067	0.067	108,289
29	71	s of 50	89,131			0.067	142,495
30	71		74,995			0.067	119,896
31	71	n of 150	71,248			0.067	113,905
32	71	s of 150	69,724			0.067	111,469
33	I670	e of st l	61,208			0.195	168,885
34	I670	w of 35	61,233	11,969	0.195	0.195	168,954
35	I670	e of 35	99,388	15,812	0.159	0.159	241,696
36	I470	s of 40	64,739	10,061	0.155	0.155	155,288
37	I470		59,514			0.135	131,817
38	I470	e of 50	58,863			0.135	130,375
39	I470	e of 71	74,891	8,580	0.115	0.115	152,111
40	50	s of 470	69,228			0.115	140,609
41	50	w of 291	55,759			0.115	113,252
42	I70	e of st l	68,318	13,354	0.195	0.195	188,504
43	I70	e of 169	79,980			0.195	220,681
44	I70	at 29/35/70?	92,249			0.195	254,534
45	I70	s of 29/35/70	77,323			0.195	213,350
46	I70	e of 670	135,266	26,440	0.195	0.195	373,226
47	I70		69,715			0.226	211,641
48	I70	w of 435	85,528			0.226	259,647
49	I70	e of 435	114,495			0.226	347,585
50	I70		114,034			0.226	346,185
51	I70	w of 470	98,244			0.226	298,250
52	I70	e of 470	98,488	25,305	0.257	0.257	326,233
53	I70	w of 7	69,390			0.257	229,848
				average	0.150	0.143	

Table 7.2-8

Kansas City Area Traffic Counts > 50,000 AADT (2010)					
Ranked by AADT					
No.	**Highway**	**Location**	**AADT**		
13	I435S	e of st l	152,856		
46	I70	e of 670	135,266		
12	I435S	bet 71 & st l	129,464		
22	I35	s of 670	118,097		
49	I70	e of 435	114,495		
50	I70		114,034		
8	I435E	n of 70	103,008		
35	I670	e of 35	99,388		
52	I70	e of 470	98,488		
51	I70	w of 470	98,244		

Table 7.2-9

Kansas City Area Traffic Counts > 50,000 AADT (2010)					
Ranked by adjusted AADT, trucks=14% (average)					
No.	**Highway**	**Location**	**AADT**	**Adj. AADT**	
46	I70	e of 670	135,266	373,226	
13	I435S	e of st l	152,856	366,055	
49	I70	e of 435	114,495	347,585	
50	I70		114,034	346,185	
52	I70	e of 470	98,488	326,233	
12	I435S	bet 71 & st l	129,464	310,037	
51	I70	w of 470	98,244	298,250	
22	I35	s of 670	118,097	282,866	
48	I70	w of 435	85,528	259,647	
44	I70	at 29/35/70?	92,249	254,534	

Figure 7.2-6


Locations of 8 highest adjusted AADT segments in Kansas City area
DOWNTOWN KANSAS CITY
Platte
Clay
Jackson
KANSAS CITY
0 0.5 1 2 Miles

Figure 7.2-7


WIND ROSE PLOT:
Kansas City International Airport Wind Data
2002 - 2006
DISPLAY:
Wind Speed
Direction (blowing from)
NORTH
EAST
SOUTH
WEST
3%
6%
9%
12%
15%
WIND SPEED
(m/s)
>= 11.1
8.8 - 11.1
5.7 - 8.8
3.6 - 5.7
2.1 - 3.6
0.5 - 2.1
Calms: 3.16%
COMMENTS:
DATA PERIOD:
2002-2006
Jan 1 - Dec 31
00:00 - 23:00
COMPANY NAME:
MODELER:
CALM WINDS:
3.16%
TOTAL COUNT:
43824 hrs.
AVG. WIND SPEED:
4.61 m/s
DATE:
4/30/2009
PROJECT NO.:
WRPLOT View - Lakes Environmental Software

Figure 7.2-8. Aerial photograph of the I-70 area of interest between I-435 on the west and a point between I-470 and Highway 7 on the east.



Figure 7.2-9. Aerial photograph of the I-435 area of interest between the state line on the west (indicated by State Line Road) and the interchange on the east.



8. Carbon Monoxide (CO) Monitoring Network

The department intends to add one near-roadway CO monitor to the network at the Forest Park I-40/64 near-roadway monitoring site (see location map in section 7.1). This monitor will satisfy the minimum near-roadway monitoring requirements for the St. Louis MO-IL CBSA. Changes to CO monitoring requirements were published in the Federal Register: August 31, 2011 (Volume 76, Number 169). These rules require near-roadway CO monitoring at a subset of the near-roadway NO_2 monitoring network in CBSAs with populations of 1 million or more.

The department intends to add one CO monitor at the Kansas City near-roadway monitoring site once that site has been identified. Consult section 7.2 for a discussion about the status of the Kansas City area near-roadway monitoring site planning process.

9. Rural National Core

EPA expressed interest in pursuing the installation and operation of a rural NCore site in Missouri. Department staff suggested EPA evaluate the Mark Twain State Park Site as a candidate for consideration of the rural NCore site due to its location and the historically low PM_{10} and SO_2 concentrations measured at the site. EPA is considering providing up-front one-time equipment purchases and continued operation and maintenance funds to support this project. Since this project would be in addition to existing NCore monitoring requirements which the state of Missouri has satisfied at the Blair St. site, the department is waiting for EPA to identify specifically what funding will be available for this project before committing resources to the project. The department will continue to work with EPA Region VII staff to pursue this project at some time in the future.

Network Description/Components

See Appendix 1 for the Network Description, which includes the following components.

Site Data

All ambient air monitoring sites are recorded in the EPA's Air Quality System database. Data includes location data such as latitude & longitude.

Air Quality System Site Code

The site code includes a numerical designation for State, county, and individual site. The state and county codes are assigned a number based on the alphabetical order of the State or county. Site numbers are assigned sequentially by date established in most counties. St. Louis County sites also have a division for municipality within St. Louis County.

Street Address

The official Post Office address of the lot where the monitors are located. Because not all sites are located in cities or towns, the street address is occasionally given as the intersection of the nearest streets or highways.

Geographical Coordinates

The coordinate system used by Missouri Department of Natural Resources is latitude and longitude.

Air Quality Control Region

Air Quality Control Regions, or AQCR, are defined by EPA and designates either urban regions, like St. Louis or Kansas City, or rural sections of a state, such as northeast or southwest Missouri.

AQCR	AQCR Name
070	Metropolitan St. Louis
094	Metropolitan Kansas City
137	Northern Missouri
138	SE Missouri
139	SW Missouri

Core Based Statistical Area

Core Based Statistical Areas, or CBSA are defined by the U.S. Census Bureau.

CBSA Code	CBSA Name
00000	Not in a CBSA
16020	Cape Girardeau-Jackson, MO-IL
17860	Columbia, MO
27620	Jefferson City, MO
27900	Joplin, MO
28140	Kansas City, MO-KS
41140	St. Joseph, MO-KS
41180	St. Louis, MO-IL
44180	Springfield, MO

Monitor Data

Each monitor is designed to detect a specific chemical pollutant or group of related pollutants. A site may have one or many monitors and not all sites will have the same monitors.

Pollutant

The common name of the pollutant. “Criteria” pollutants are defined by statute in the Clean Air Act.

Air Quality System Pollutant Code

Each pollutant has a specific numerical code to distinguish it from others. One monitor in St. Louis City uses a code of ‘00000’ because the monitor detects an entire group of chemicals, volatile organic pollutants, which are too numerous to list individually.

Pollutant Code	Pollutant
00000	Volatile Organic Compounds, or VOCs
14129	Lead – Local Conditions
42101	Carbon Monoxide
42401	Sulfur Dioxide
42406	Sulfur Dioxide 5-min
42600	Reactive Oxides of N (NOY)
42601	Nitric Oxide
42602	Nitrogen Dioxide
42603	Oxides of Nitrogen
44201	Ozone
61103	Resultant Wind Speed
61104	Resultant Wind Direct
62101	Outdoor Temperature
62107	Indoor Temperature
62201	Relative Humidity
63301	Solar Radiation
64101	Barometric Pressure
68105	Average Ambient Temperature
68108	Sample Baro Pressure
81102	PM_{10}
84313	Black Carbon
85101	PM_{10} - LC
85129	Lead PM10 LC - FRM/FEM
86101	PMCoarse - LC (FRM Diff)
86502	Acceptable PMCoarse - LC
88101	$PM_{2.5}$ FRM
88500	$PM_{2.5}$ Tot Atmospheric
88501	$PM_{2.5}$ Raw Data
88502	$PM_{2.5}$ AQI/Speciation
88503	$PM_{2.5}$ Reference

Parameter Occurrence Code

The Parameter Occurrence Code (POC) distinguishes between different monitors for the same pollutant, most often collocated monitors used for precision and quality assurance. For $PM_{2.5}$, different parameter occurrence codes are assigned to FRM, collocated FRM, continuous, and speciation monitors.

Collocated

Collocated monitors are used for precision and quality assurance activities, and for redundancy for critical pollutants such as ozone.

Sampling Frequency

Sampling frequency varies for each pollutant, depending on the nature of the NAAQS standard and the technology used in the monitoring method. Most gaseous pollutants, $PM_{2.5}$ and PM_{10} monitors use continuous monitoring FEM methods and are averaged over one hour. Some particulate pollutants are filter-based FRM methods and averaged over one day.

Scale of Representation

Each monitor is intended to represent an area with similar pollutant concentration. The scales range from only a few meters to many kilometers.

- MIC Microscale - defines the concentration in air volumes associated with area dimensions ranging from several meters up to about 100 meters.
- MID Middle - defines the concentration typical of areas up to several city blocks in size with dimensions ranging from about 100 meters to 0.5 kilometers.
- NBR Neighborhood - defines concentrations within an extended area of a city that has relatively uniform land use with dimensions in the 0.5 to 4.0 kilometers.
- URB Urban - defines an overall citywide condition with dimensions on the order of 4 to 50 kilometers.
- REG Regional - defines air quality levels over areas having dimensions of 50 to hundreds of kilometers.

Monitor Type

The monitor's administrative classification as determined by the purpose for the monitor in the agency sampling strategy. Assignment of monitor types “NCORE” and “PAMS” is limited to EPA Headquarters and is done only after a complete review and approval is done for all site/monitor metadata.

Code	Description
IMPROVE	IMPROVE or IMPROVE Protocol
INDEX SITE	(not currently used by MO)
INDUSTRIAL	Used to indicate sites operated by an industry PQAO
NATTS	National Air Toxics Trends Station
NON-EPA FEDERAL	(not currently used by MO)

NON-REGULATORY	Note use for NAAQS Compliance
PAMS	
PROPOSED NCORE	
QA COLLOCATED	Collocated to Satisfy 40 CFR Part 58, Appendix A
SLAMS	State or Local Air Monitoring Station
SPECIAL PURPOSE	Special Purpose Monitoring Station (SPM or SPMS)
SUPLMNTL SPECIATION	
TRENDS SPECIATION	
TRIBAL MONITORS	(not currently used by MO)
UNOFFICIAL PAMS	(not currently used by MO)

Monitoring Objective

Each monitor has a distinct objective such as providing real-time data for public awareness or use in determining compliance with regulations.

Objective Code	Objective
AQI	Public Information
COM	NAAQS Compliance
MET	Meteorological Data
RES	Research
STA	State Standard

Units

The physical terms used to quantify the pollutant concentration, such as parts per million or micrograms per cubic meter.

Unit Code	Unit Description
001	$\mu g/m^3$
007	parts per million
008	parts per billion
012	miles per hour
013	knots
014	degree, compass
015	degree Fahrenheit
017	degree Celsius
018	Langleys
019	percent humidity
022	inches Mercury
025	Langleys per minute
079	$Watts/m^2$
105	$\mu g/m^3$ LC
121	parts per trillion

Monitoring/Analytical Method

Each monitor relies on a scientific principle to determine the pollutant concentration, which is described by the sampling method. Each method code is specific for a particular pollutant; therefore a three numeral code may be used for different methods for different pollutants.

APPENDIX 1: MISSOURI MONITORING NETWORK DESCRIPTION

Missouri Ambient Air Monitoring Network

MIC	***Microscale***	***1 to 100 square meters***
MID	***Middle***	***0.1 to 0.5 square kilometer***
NBR	***Neighborhood***	***0.5 to 4 square kilometers***
REG	***Regional***	***> 10 square kilometers, rural***
URB	***Urban***	***4 to 50 square kilometers, city***
COM	***NAAQS Compliance***	
MET	***Meteorological Data***	
N/A	***Not Applicable***	
NCore	***National Multi-Pollutant Monitoring Stations***	
NON-A	***Non-Ambient Site***	
NON-R	***Non-Regulatory***	
RES	***Research***	
SLAMS	***State and Local Monitoring Stations***	
SIP	***State Implementation Plan***	
SPEC	***Speciation***	
STA	***State Standard***	
SPM	***Special Purpose Monitoring***	
*****	***Monitor to be installed and operated at a later date***	
^^	***Monitoring Operations transfered from the Local Agencies to the State***	

City Utilities

James River South

AQS Site Number 29-077-0037

James River South, Springfield, MO 65804

Latitude: 37.104461 ***AQCR:*** 139 SW Missouri

Longitude: -93.25339 ***MSA:*** 7920 Springfield, MO

Elevation (ft): 1227

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Sulfur Dioxide	42401	Industrial	3	☐	1	MID	COM	008	ppb	060	Pulsed Fluorescent	
Sulfur Dioxide Max 5-min Avg	42406	Industrial	3	☐	1	MID	COM	008	ppb	060	Pulsed Fluorescent	

Wildwood Lane

AQS Site Number 29-077-0040

1234 Wildwood Lane, Springfield, MO 65804

Latitude: 37.108889 ***AQCR:*** 139 SW Missouri

Longitude: -93.252778 ***MSA:*** 7920 Springfield, MO

Elevation (ft): 1231

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Sulfur Dioxide	42401	Industrial	1	☐	1	MID	COM	008	ppb	060	Pulsed Fluorescent	
Sulfur Dioxide Max 5-min Avg	42406	Industrial	1	☐	1	MID	COM	008	ppb	060	Pulsed Fluorescent	

Doe Run Buick

Doe Run Buick - Buick NE

AQS Site Number 29-093-9008

347 Power Lane (Address, Elevation, Lati, and Longi to be confirmed)

Latitude: 37.65214 ***AQCR:*** 138 SE Missouri

Longitude: -91.11689 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 1423

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	Industrial	1	☐	1/6	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	Industrial	1	☐	1/6	MID	COM	105	ug/m^3-LC	113	Doe Run Mass Spectra ICAP	
Sample Baro Pressure	68108	Industrial	1	☐	1/6	N/A	COM	059	mm (Hg)	780	Instrumental	

Doe Run Buick - North #5

AQS Site Number 29-093-0021

Doe Run Buick - North#5, Buick, MO 65439

Latitude: 37.654167 ***AQCR:*** 138 SE Missouri

Longitude: -91.130556 ***MSA:*** 0000 Not in a MSA

Elevation (ft):

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	Industrial	1	☐	1/6	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	Industrial	1	☐	1/6	MID	COM	105	ug/m^3-LC	113	Doe Run Mass Spectra ICAP	
Sample Baro Pressure	68108	Industrial	1	☐	1/6	N/A	COM	059	mm (Hg)	780	Instrumental	

Doe Run Buick - South #1 *AQS Site Number* **29-093-0016**

Doe Run Buick - South#1, Buick, MO 65439

Latitude: 37.625278 ***AQCR:*** 138 SE Missouri

Longitude: -91.129167 ***MSA:*** 0000 Not in a MSA

Elevation (ft):

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	Industrial	1	☑	1/6	N/A	SIP	017	deg C	780	Instrumental	NON-A
Lead (TSP) - LC FRM/FEM	14129	Industrial	1	☑	1/6	MID	SIP	105	ug/m^3-LC	113	Doe Run Mass Spectra ICAP	NON-A
Sample Baro Pressure	68108	Industrial	1	☑	1/6	N/A	SIP	059	mm (Hg)	780	Instrumental	NON-A

Doe Run Glover

Doe Run Glover - Big Creek #5

***AQS Site Number*29-093-0029**

Doe Run Glover - Big Creek #5, Glover, MO 65439

Latitude: 37.471667 ***AQCR:*** 138 SE Missouri

Longitude: -90.689444 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 927

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	Industrial	1	☐	1/6	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	Industrial	1	☐	1/6	MID	COM	105	ug/m^3-LC	110	Pima Co., AZ Mass Spectra ICAP	
Sample Baro Pressure	68108	Industrial	1	☐	1/6	N/A	COM	059	mm (Hg)	780	Instrumental	

Doe Run Glover - Post Office #2

***AQS Site Number*29-093-0027**

Doe Run Glover - Post Office #2, Glover, MO 65439

Latitude: 37.486111 ***AQCR:*** 138 SE Missouri

Longitude: -90.69 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 927

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	Industrial	1	☑	1/6	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	Industrial	1	☑	1/6	MID	COM	105	ug/m^3-LC	110	Pima Co., AZ Mass Spectra ICAP	
Sample Baro Pressure	68108	Industrial	1	☑	1/6	N/A	COM	059	mm (Hg)	780	Instrumental	

Doe Run Herculaneum

Herculaneum, Broad Street — *AQS Site Number* 29-099-9005

847 Broad St., Herculaneum, MO, 63048

Latitude: 38.261667 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.379722 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 500

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	Industrial	1	☐	1/6	N/A	SIP	017	deg C	780	Instrumental	NON-A
Lead (TSP) - LC FRM/FEM	14129	Industrial	1	☐	1/6	MID	SIP	105	ug/m^3-LC	189	Inter-Mountain Lab, Inc Mass Spectra ICAP	NON-A
Sample Baro Pressure	68108	Industrial	1	☐	1/6	N/A	SIP	059	mm (Hg)	780	Instrumental	NON-A

Herculaneum, Church Street — *AQS Site Number* 29-099-0024

951 Church St., Herculaneum, MO 63048

Latitude: 38.258667 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.380889 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 463

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	Industrial	1	☑	1/3	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	Industrial	1	☑	1/3	NBR	COM	105	ug/m^3-LC	189	Inter-Mountain Lab, Inc Mass Spectra ICAP	
Sample Baro Pressure	68108	Industrial	1	☑	1/3	N/A	COM	059	mm (Hg)	780	Instrumental	

Herculaneum, City Hall (Mott Street)

AQS Site Number 29-099-0020

Mott Street, Herculaneum, MO, 63048

Latitude: 38.263394 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.379667 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 468

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Ambient Temperature	68105	Industrial	1	☑	1/1	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	Industrial	1	☑	1/1	MID	COM	105	ug/m^3-LC	189	Inter-Mountain Lab, Inc Mass Spectra ICAP	
Sample Baro Pressure	68108	Industrial	1	☑	1/1	N/A	COM	059	mm (Hg)	780	Instrumental	

Herculaneum, Dunklin High School

AQS Site Number 29-099-9002

1 Black Cat Dr., Herculaneum, MO, 63048

Latitude: 38.267222 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.37833 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 445

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Ambient Temperature	68105	Industrial	1	☐	1/3	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	Industrial	1	☐	1/3	NBR	COM	105	ug/m^3-LC	189	Inter-Mountain Lab, Inc Mass Spectra ICAP	
Sample Baro Pressure	68108	Industrial	1	☐	1/3	N/A	COM	059	mm (Hg)	780	Instrumental	

Herculaneum, North Cross

AQS Site Number 29-099-0023

North Cross, Herculaneum, MO 63048

Latitude: 38.263378 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.381122 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 463

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status

Ambient Temperature	68105	Industrial	1	☐	1/1	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	Industrial	1	☐	1/1	NBR	COM	105	ug/m^3-LC	189	Inter-Mountain Lab, Inc Mass Spectra ICAP	
Sample Baro Pressure	68108	Industrial	1	☐	1/1	N/A	COM	059	mm (Hg)	780	Instrumental	

Herculaneum, Sherman — *AQS Site Number* 29-099-9004

460 Sherman St., Herculaneum, MO, 63048

Latitude: 38.2717 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.376520 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 462

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	SPM	1	☐	1/6	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	Industrial	1	☐	1/6	NBR	COM	105	ug/m^3-LC	189	Inter-Mountain Lab, Inc Mass Spectra ICAP	
Sample Baro Pressure	68108	SPM	1	☐	1/6	N/A	COM	059	mm (Hg)	780	Instrumental	

Ursuline North — *AQS Site Number* 29-099-9006

210 Glennon Heights Rd., Crystal City, MO 63019

Latitude: 38.243 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.37372 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 578

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	Industrial	1	☐	1/6	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	Industrial	1	☐	1/6	NBR	COM	105	ug/m^3-LC	189	Inter-Mountain Lab, Inc Mass Spectra ICAP	
Sample Baro Pressure	68108	Industrial	1	☐	1/6	N/A	COM	059	mm (Hg)	780	Instrumental	

Environmental Services

Alba — AQS Site Number 29-097-0004

20400 Millwood Rd., Alba, MO 64755

Latitude: 37.2348 ***AQCR:*** 139 SW Missouri

Longitude: -94.42475 ***MSA:*** 3710 Joplin, MO

Elevation (ft): 965

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Ozone	44201	SLAMS	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric	

Arnold West — AQS Site Number 29-099-0019

1709 Lonedell Dr., Arnold, MO 63010

Latitude: 38.448581 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.398436 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 636

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Acceptable PM2.5 AQI/SPEC	88502	SPEC	6	☐	1/3	NBR	RES	105	ug/m^3-LC	810	METONE SASS	
Acceptable PMCoarse - LC	86502	SPM	1	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	
Baro Pressure	64101	SPM	1	☐	1	NBR	MET	059	mm (Hg)	014	Instrumental	
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Outdoor Temperature	62101	SPM	1	☐	1	NBR	MET	017	deg C	040	Electronic Averaging	
Ozone	44201	SLAMS	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric	
PM10 - LC	85101	SPM	5	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	

PM2.5 - LC	88101	SLAMS	4	☐	1	NBR	COM	105	ug/m^3-LC	182	FMDS-Gravimetric 1405-DF
PM2.5 Tot Atmospheric	88500	SPM	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF
PM2.5 Volatile Channel	88503	SPM	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF
Relative Humidity	62201	SPM	1	☐	1	NBR	MET	019	%humidity	020	Instrumental
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation

Bill's Creek — *AQS Site Number* **29-179-0001**

0.75 mile S. of 3229 County Rd., Boss, MO 65440

Latitude: 37.53467 ***AQCR:*** 138 SE Missouri

Longitude: -91.14857 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 996

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	SPM	1	☐	1/6	N/A	COM	017	deg C	803	Off-Site Avg Temperature	
Lead (TSP) - LC FRM/FEM	14129	SLAMS	1	☐	1/6	NBR	COM	105	ug/m^3-LC	192	Inductive Coupled Plasma Spectrometry	
Sample Baro Pressure	68108	SPM	1	☐	1/6	N/A	COM	059	mm (Hg)	803	Off-Site Avg Pressure	

Blair Street — *AQS Site Number* **29-510-0085**

3247 Blair Street, St. Louis, MO 63107

Latitude: 38.65640 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.19845 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 450

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Acceptable PM2.5 AQI/SPEC	88502	SPEC	6	☐	1/3	NBR	RES	105	ug/m^3-LC	810	METONE SASS	

Acceptable PMCoarse - LC	86502	SPM	1	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF
Ambient Temperature	68105	SLAMS	3	☑	1/3	N/A	COM	017	deg C	127	Lo-Vol R&P 2025 Sequential
Ambient Temperature	68105	SLAMS	1	☑	1/1	N/A	COM	017	deg C	118	Lo-Vol R&P 2025 Sequential
Ambient Temperature	68105	SLAMS	5	☐	1/6	N/A	COM	017	deg C	780	Instrumental
Baro Pressure	64101	SLAMS	1	☐	1	NBR	MET	059	mm (Hg)	014	Instrumental
Black Carbon PM2.5 STP	84313	SLAMS	1	☐	1	NBR	RES	001	ug/m^3	866	Magee Scientific AE21ER
Carbon Monoxide	42101	NCORE	1	☐	1	NBR	COM	007	ppm	055	Gas Filter Corr Thermo Electron
Indoor Temperature	62107	SLAMS	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging
Lead (TSP) - LC FRM/FEM	14129	NCORE	1	☐	1/6	NBR	COM	105	ug/m^3-LC	192	Inductive Coupled Plasma Spectrometry
Nitric Oxide	42601	SLAMS	1	☐	1	NBR	COM	008	ppb	591	Chemiluminescence
Outdoor Temperature	62101	SLAMS	1	☐	1	NBR	MET	017	deg C	040	Electronic Averaging
Ozone	44201	NCORE	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric
PM10 - LC	85101	SPM	5	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF
PM10 - LC	85101	SPM	1	☑	1/3	NBR	COM	105	ug/m^3-LC	127	Lo-Vol R&P 2025 Sequential
PM10 - Total STP	81102	SLAMS	1	☑	1/3	NBR	COM	001	ug/m^3	127	Lo-Vol R&P 2025 Sequential
PM2.5 - LC	88101	SLAMS	1	☑	1/1	NBR	COM	105	ug/m^3-LC	118	Lo-Vol R&P 2025 Sequential
PM2.5 - LC	88101	SLAMS	4	☐	1	NBR	COM	105	ug/m^3-LC	182	FMDS-Gravimetric 1405-DF
PM2.5 Tot Atmospheric	88500	SLAMS	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF

PM2.5 Volatile Channel	88503	SLAMS	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF
PMCoarse - LC (FRM Diff)	86101	SLAMS	1	☐	1/3	NBR	COM	105	ug/m^3-LC	176	Thermo 2025 Sequential PM10-PM2.5
Reactive Oxides of N (NOY)	42600	NCORE	1	☐	1	NBR	COM	008	ppb	591	Chemiluminescence
Relative Humidity	62201	SLAMS	1	☐	1	NBR	MET	019	%humidity	020	Instrumental
Sample Baro Pressure	68108	SLAMS	1	☑	1/1	N/A	COM	059	mm (Hg)	118	Lo-Vol R&P 2025 Sequential
Sample Baro Pressure	68108	SLAMS	5	☐	1/6	N/A	COM	059	mm (Hg)	780	Instrumental
Sample Baro Pressure	68108	SLAMS	3	☑	1/3	N/A	COM	059	mm (Hg)	127	Lo-Vol R&P 2025 Sequential
Solar Radiation	63301	SLAMS	1	☐	1	NBR	MET	079	W/m^2	011	Instrumental
Sulfur Dioxide	42401	NCORE	1	☐	1	NBR	COM	008	ppb	600	Ultraviolet Fluorenscence API 100 EU
Sulfur Dioxide Max 5-min Avg	42406	NCORE	1	☐	1	NBR	COM	008	ppb	600	Ultraviolet Fluorenscence API 100 EU
Wind Direction - Resultant	61104	SLAMS	1	☐	1	NBR	MET	014	deg	020	Vector Summation
Wind Speed - Resultant	61103	SLAMS	1	☐	1	NBR	MET	012	mph	020	Vector Summation

Bonne Terre — *AQS Site Number* 29-186-0005

15797 Highway D, Bonne Terre, MO 63628

Latitude: 37.90084 ***AQCR:*** 138 SE Missouri

Longitude: -90.42388 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 840

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Acceptable PM2.5 AQI/SPEC	88502	SPEC	5	☐	1/6	REG	RES	105	ug/m^3-LC	810	METONE SASS	
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	

Ozone	44201	SLAMS	1	☑	1	REG	COM	007	ppm	047	Ultraviolet Photometric	
Solar Radiation	63301	SPM	1	☐	1	REG	MET	079	W/m^2	011	Instrumental	
Wind Direction - Resultant	61104	SPM	1	☐	1	REG	MET	014	deg	020	Vector Summation	
Wind Speed - Resultant	61103	SPM	1	☐	1	REG	MET	012	mph	020	Vector Summation	

Branch Street — *AQS Site Number* 29-510-0093

100 Branch St., St. Louis, MO 63102

Latitude: 38.653716 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.186816 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 422

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Acceptable PMCoarse - LC	86502	SPM	1	☐	1	MID	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	^^
Ambient Temperature	68105	SPM	1	☐	1/3	N/A	COM	017	deg C	118	Lo-Vol R&P 2025 Sequential	^^
Baro Pressure	64101	SPM	1	☐	1	NBR	MET	059	mm (Hg)	014	Instrumental	
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Outdoor Temperature	62101	SPM	1	☐	1	NBR	MET	017	deg C	040	Electronic Averaging	^^
PM10 - LC	85101	SPM	5	☐	1	MID	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	^^
PM10 - Total STP	81102	SLAMS	3	☐	1	MID	COM	001	ug/m^3	079	R&P SA246B TEOM	^^
PM2.5 - LC	88101	SLAMS	4	☐	1	MID	COM	105	ug/m^3-LC	182	FMDS-Gravimetric 1405-DF	^^
PM2.5 - LC	88101	SLAMS	1	☐	1/3	MID	COM	105	ug/m^3-LC	118	Lo-Vol R&P 2025 Sequential	^^
PM2.5 Tot Atmospheric	88500	SPM	1	☐	1	MID	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	^^

PM2.5 Volatile Channel	88503	SPM	1	☐	1	MID	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	^^
Relative Humidity	62201	SPM	1	☐	1	NBR	MET	019	%humidity	020	Instrumental	
Sample Baro Pressure	68108	SPM	1	☐	1/3	N/A	COM	059	mm (Hg)	118	Lo-Vol R&P 2025 Sequential	^^
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	^^
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	^^

Branson — *AQS Site Number* 29-213-0004

251 SW. Outer Rd., Branson, MO 65616

Latitude: 36.70765 ***AQCR:*** 139 SW Missouri

Longitude: -93.22181 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 1052

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Ozone	44201	SPM	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric	
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	

Buick NE — *AQS Site Number* 29-093-0034

346 Power Lane, Bixby West, MO 65439

Latitude: 37.65212 ***AQCR:*** 138 SE Missouri

Longitude: -91.11653 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 1458

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	SPM	1	☑	1/1	N/A	COM	017	deg C	780	Instrumental	

Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Lead (TSP) - LC FRM/FEM	14129	SLAMS	1	☑	1/6	MID	COM	105	ug/m^3-LC	192	Inductive Coupled Plasma Spectrometry	
Sample Baro Pressure	68108	SPM	1	☑	1/1	N/A	COM	059	mm (Hg)	780	Instrumental	
Sulfur Dioxide	42401	SLAMS	1	☐	1	MID	COM	008	ppb	060	Pulsed Fluorescent	
Sulfur Dioxide Max 5-min Avg	42406	SLAMS	1	☐	1	MID	COM	008	ppb	060	Pulsed Fluorescent	
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	

Carthage — AQS Site Number 29-097-0003

530 Juniper, Carthage, MO 64836

Latitude: 37.21000 ***AQCR:*** 139 SW Missouri

Longitude: -94.307778 ***MSA:*** 3710 Joplin, MO

Elevation (ft): 986

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
PM10 - Total STP	81102	SLAMS	3	☐	1	MID	COM	001	ug/m^3	079	R&P SA246B TEOM	
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	

El Dorado Springs (PM2.5:DF to replace VSCC) — AQS Site Number 29-039-0001

Highway 97 & Barnes Road, El Dorado Springs, MO 64744

Latitude: 37.6900 ***AQCR:*** 139 SW Missouri

Longitude: -94.035 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 965

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Acceptable PMCoarse - LC	86502	SPM	1	☐	1	REG	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
Baro Pressure	64101	SPM	1	☐	1	NBR	MET	059	mm (Hg)	014	Instrumental	**
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Outdoor Temperature	62101	SPM	1	☐	1	REG	MET	017	deg C	040	Electronic Averaging	
Ozone	44201	SLAMS	1	☐	1	REG	COM	007	ppm	047	Ultraviolet Photometric	
PM10 - LC	85101	SPM	5	☐	1	REG	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
PM2.5 - LC	88101	SLAMS	4	☐	1	REG	COM	105	ug/m^3-LC	182	FMDS-Gravimetric 1405-DF	**
PM2.5 - LC	88101	SLAMS	3	☐	1	REG	COM	105	ug/m^3-LC	181	PM2.5 VSCC FEM	
PM2.5 Tot Atmospheric	88500	NON-R	3	☐	1	REG	AQI	105	ug/m^3-LC	761	PM2.5 VSCC FDMS	
PM2.5 Tot Atmospheric	88500	SPM	1	☐	1	REG	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
PM2.5 Volatile Channel	88503	SPM	1	☐	1	REG	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
PM2.5 Volatile Channel	88503	NON-R	3	☐	1	REG	AQI	105	ug/m^3-LC	761	PM2.5 VSCC FDMS	
Relative Humidity	62201	SPM	1	☐	1	NBR	MET	019	%humidity	020	Instrumental	**
Wind Direction - Resultant	61104	SPM	1	☐	1	REG	MET	014	deg	020	Vector Summation	

Wind Speed - Resultant	61103	SPM	1	☐	1	REG	MET	012	mph	020	Vector Summation

Farrar — *AQS Site Number* 29-157-0001

County Rd. 342, Farrar, MO 63746

Latitude: 37.70264 ***AQCR:*** 138 SE Missouri

Longitude: -89.698640 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 497

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Ozone	44201	SLAMS	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric	
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	

Fellows Lake — *AQS Site Number* 29-077-0042

4208 E. Farm Rd. 66, Springfield, MO 65803

Latitude: 37.319444 ***AQCR:*** 139 SW Missouri

Longitude: -93.204444 ***MSA:*** 7920 Springfield, MO

Elevation (ft): 1346

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Ozone	44201	SLAMS	1	☑	1	URB	COM	007	ppm	047	Ultraviolet Photometric	
Wind Direction - Resultant	61104	SPM	1	☐	1	URB	MET	014	deg	020	Vector Summation	
Wind Speed - Resultant	61103	SPM	1	☐	1	URB	MET	012	mph	020	Vector Summation	

Finger Lakes — AQS Site Number 29-019-0011

1505 E. Peabody Road, Columbia, MO 65202

Latitude: 39.07803 **AQCR:** 137 Northern Missouri

Longitude: -92.31632 **MSA:** 1740 Columbia, MO

Elevation (ft): 726

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Ozone	44201	SLAMS	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric	

Fletcher — AQS Site Number 29-179-0002

Forest Rd. 2236, Westfork, MO 64498

Latitude: 37.46889 **AQCR:** 138 SE Missouri

Longitude: -91.08847 **MSA:** 0000 Not in a MSA

Elevation (ft): 1256

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Ambient Temperature	68105	SPM	1	☐	1/6	N/A	COM	017	deg C	803	Off-Site Avg Temperature	
Lead (TSP) - LC FRM/FEM	14129	SLAMS	1	☐	1/6	NBR	COM	105	ug/m^3-LC	192	Inductive Coupled Plasma Spectrometry	
Sample Baro Pressure	68108	SPM	1	☐	1/6	N/A	COM	059	mm (Hg)	803	Off-Site Avg Pressure	

Foley — AQS Site Number 29-113-0003

#7 Wild Horse, Foley, MO 63347

Latitude: 39.0447 **AQCR:** 137 Northern Missouri

Longitude: -90.8647 **MSA:** 7040 St. Louis, MO-IL

Elevation (ft): 715

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	

Ozone	44201	SLAMS	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric	
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	

Forest City, Exide Levee — *AQS Site Number* 29-087-0008

300 S. Washington St., Oregon MO, 64473

Latitude: 40.027222 ***AQCR:*** 137 Northern Missouri

Longitude: -95.235833 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 904

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	SPM	1	☑	1/6	N/A	COM	017	deg C	811	Thermo/R&P 2025 PM10	
Lead PM10 LC - FRM/FEM	85129	SPM	1	☑	1/6	MID	COM	105	ug/m^3-LC	811	Thermo/R&P 2025 PM10	
Sample Baro Pressure	68108	SPM	1	☑	1/6	N/A	COM	059	mm (Hg)	811	Thermo/R&P 2025 PM10	

Forest Park (To include Precipitation) — *AQS Site Number* 29-510-0094

McKinley Dr., St. Louis, MO 63110

Latitude: 38.631057 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.281144 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 000

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Acceptable PMCoarse - LC	86502	SPM	1	☐	1	MIC	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
Baro Pressure	64101	SPM	1	☐	1	MIC	MET	059	mm (Hg)	014	Instrumental	**
Black Carbon PM2.5 STP	84313	SPM	1	☐	1	MIC	COM	001	ug/m^3	866	Magee Scientific AE21ER	**
Carbon Monoxide	42101	SPM	1	☐	1	MIC	COM	007	ppm	054	Non-dispersive Infrared	**

Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	**
Nitrogen Dioxide	42602	SLAMS	1	☐	1	MIC	COM	008	ppb	074	Chemiluminescence	**
Outdoor Temperature	62101	SPM	1	☐	1	MIC	MET	017	deg C	040	Electronic Averaging	**
PM10 - LC	85101	SPM	5	☐	1	MIC	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
PM2.5 - LC	88101	SPM	4	☐	1	MIC	COM	105	ug/m^3-LC	182	FMDS-Gravimetric 1405-DF	**
PM2.5 Tot Atmospheric	88500	SPM	1	☐	1	MIC	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
PM2.5 Volatile Channel	88503	SPM	1	☐	1	MIC	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
Relative Humidity	62201	SPM	1	☐	1	MIC	MET	019	%humidity	020	Instrumental	**
Solar Radiation	63301	SPM	1	☐	1	MIC	MET	079	W/m^2	011	Instrumental	**
Wind Direction - Resultant	61104	SPM	1	☐	1	MIC	MET	014	deg	020	Vector Summation	**
Wind Speed - Resultant	61103	SPM	1	☐	1	MIC	MET	012	mph	020	Vector Summation	**

Front Street (PM10:TEOM to replace Lo-Vol) — *AQS Site Number* **29-095-0018**

1331 N. Jackson, Kansas City, MO 64120

Latitude: 39.13198 ***AQCR:*** 094 Metropolitan Kansas City

Longitude: -94.53128 ***MSA:*** 3760 Kansas City, MO-KS

Elevation (ft): 728

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	SPM	1	☐	1/6	N/A	COM	017	deg C	127	Lo-Vol R&P 2025 Sequential	
PM10 - LC	85101	SPM	1	☐	1/6	NBR	COM	105	ug/m^3-LC	127	Lo-Vol R&P 2025 Sequential	
PM10 - Total STP	81102	SLAMS	3	☐	1	NBR	COM	001	ug/m^3	079	R&P SA246B TEOM	**

PM10 - Total STP	81102	SLAMS	1	☐	1/6	NBR	COM	001	ug/m^3	127	Lo-Vol R&P 2025 Sequential
Sample Baro Pressure	68108	SPM	1	☐	1/6	N/A	COM	059	mm (Hg)	127	Lo-Vol R&P 2025 Sequential

Glover — *AQS Site Number* 29-093-0033

Highway 49, approx. 0.4m South Highways 21/49/72 Intersection, Glover, 63620

Latitude: 37.48964 ***AQCR:*** 138 SE Missouri

Longitude: -90.69247 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 881

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	SPM	1	☐	1/6	N/A	COM	017	deg C	803	Off-Site Avg Temperature	
Lead (TSP) - LC FRM/FEM	14129	SLAMS	1	☐	1/6	NBR	COM	105	ug/m^3-LC	192	Inductive Coupled Plasma Spectrometry	
Sample Baro Pressure	68108	SPM	1	☐	1/6	N/A	COM	059	mm (Hg)	803	Off-Site Avg Pressure	

Herculaneum, Dunklin High School — *AQS Site Number* 29-099-0005

1 Black Cat Dr., Herculaneum, MO, 63048

Latitude: 38.267222 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.37833 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 445

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	SPM	1	☐	1/3	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	SLAMS	1	☐	1/3	NBR	COM	105	ug/m^3-LC	192	Inductive Coupled Plasma Spectrometry	
Sample Baro Pressure	68108	SPM	1	☐	1/3	N/A	COM	059	mm (Hg)	780	Instrumental	

Herculaneum, Mott Street — AQS Site Number 29-099-0027

Mott Street, Herculaneum, MO, 63048

Latitude: 38.263394 **AQCR:** 070 Metropolitan St. Louis

Longitude: -90.379667 **MSA:** 7040 St. Louis, MO-IL

Elevation (ft): 468

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Ambient Temperature	68105	SPM	1	☑	1/1	N/A	COM	017	deg C	780	Instrumental	
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Lead (TSP) - LC FRM/FEM	14129	SLAMS	1	☑	1/1	MID	COM	105	ug/m^3-LC	192	Inductive Coupled Plasma Spectrometry	
Sample Baro Pressure	68108	SPM	1	☑	1/1	N/A	COM	059	mm (Hg)	780	Instrumental	
Sulfur Dioxide	42401	SLAMS	1	☐	1	MID	COM	008	ppb	060	Pulsed Fluorescent	
Sulfur Dioxide Max 5-min Avg	42406	SPM	1	☐	1	MID	COM	008	ppb	060	Pulsed Fluorescent	
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	

Herculaneum, Sherman — AQS Site Number 29-099-0013

460 Sherman St., Herculaneum, MO, 63048

Latitude: 38.27171 **AQCR:** 070 Metropolitan St. Louis

Longitude: -90.376520 **MSA:** 7040 St. Louis, MO-IL

Elevation (ft): 462

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Ambient Temperature	68105	SPM	1	☐	1/3	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	SLAMS	1	☐	1/3	NBR	COM	105	ug/m^3-LC	192	Inductive Coupled Plasma Spectrometry	

Sample Baro Pressure	68108	SPM	1	☐	1/3	N/A	COM	059	mm (Hg)	780	Instrumental

Hillcrest High School — *AQS Site Number* 29-077-0036

3319 N. Grant, Springfield, MO 65803

Latitude: 37.256069 ***AQCR:*** 139 SW Missouri

Longitude: -93.299692 ***MSA:*** 7920 Springfield, MO

Elevation (ft): 1321

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Ozone	44201	SLAMS	1	☑	1	URB	COM	007	ppm	047	Ultraviolet Photometric	^^

Ladue (PM2.5:DF to replace VSCC) — *AQS Site Number* 29-189-3001

73 Hunter Ave., Ladue, MO 63124

Latitude: 38.65021 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.35036 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 528

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Acceptable PM2.5 AQI/SPEC	88502	NON-R	3	☐	1	NBR	AQI	105	ug/m^3-LC	761	PM2.5 VSCC FDMS	^^
Acceptable PMCoarse - LC	86502	SPM	1	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
Baro Pressure	64101	SPM	1	☐	1	NBR	MET	059	mm (Hg)	014	Instrumental	**
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	^^
Outdoor Temperature	62101	SPM	1	☐	1	NBR	MET	017	deg C	040	Electronic Averaging	^^
PM10 - LC	85101	SPM	5	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
PM2.5 - LC	88101	SLAMS	3	☐	1	NBR	COM	105	ug/m^3-LC	181	PM2.5 VSCC FEM	^^

PM2.5 - LC	88101	SLAMS	4	☐	1	NBR	COM	105	ug/m^3-LC	182	FMDS-Gravimetric 1405-DF	**
PM2.5 Tot Atmospheric	88500	NON-R	3	☐	1	NBR	AQI	105	ug/m^3-LC	761	PM2.5 VSCC FDMS	^^
PM2.5 Tot Atmospheric	88500	SPM	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
PM2.5 Volatile Channel	88503	SPM	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
PM2.5 Volatile Channel	88503	NON-R	3	☐	1	NBR	AQI	105	ug/m^3-LC	761	PM2.5 VSCC FDMS	^^
Relative Humidity	62201	SPM	1	☐	1	NBR	MET	019	%humidity	020	Instrumental	**
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	^^
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	^^

Liberty — *AQS Site Number* 29-047-0005

Highway 33 & County Home Rd., Liberty, MO 64068

Latitude: 39.303056 ***AQCR:*** 094 Metropolitan Kansas City

Longitude: -94.376389 ***MSA:*** 3760 Kansas City, MO-KS

Elevation (ft): 930

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Acceptable PM2.5 AQI/SPEC	88502	SPEC	5	☐	1/3	NBR	RES	105	ug/m^3-LC	810	METONE SASS	
Acceptable PMCoarse - LC	86502	SPM	1	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	
Baro Pressure	64101	SPM	1	☐	1	NBR	MET	059	mm (Hg)	014	Instrumental	
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Outdoor Temperature	62101	SPM	1	☐	1	URB	MET	017	deg C	040	Electronic Averaging	
Ozone	44201	SLAMS	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric	

PM10 - LC	85101	SPM	5	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF
PM2.5 - LC	88101	SLAMS	4	☐	1	NBR	COM	105	ug/m^3-LC	182	FMDS-Gravimetric 1405-DF
PM2.5 Tot Atmospheric	88500	SPM	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF
PM2.5 Volatile Channel	88503	SPM	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF
Relative Humidity	62201	SPM	1	☐	1	NBR	MET	019	%humidity	020	Instrumental
Solar Radiation	63301	SPM	1	☐	1	URB	MET	079	W/m^2	011	Instrumental
Wind Direction - Resultant	61104	SPM	1	☐	1	URB	MET	014	deg	020	Vector Summation
Wind Speed - Resultant	61103	SPM	1	☐	1	URB	MET	012	mph	020	Vector Summation

Margaretta — *AQS Site Number* 29-510-0086

4520 Margaretta, St. Louis, MO 63105

Latitude: 38.673172 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.239086 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 514

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Nitric Oxide	42601	SPM	1	☐	1	NBR	COM	008	ppb	074	Chemiluminescence	^^
Nitrogen Dioxide	42602	SLAMS	1	☐	1	NBR	COM	008	ppb	074	Chemiluminescence	^^
Oxides of Nitrogen	42603	SPM	1	☐	1	NBR	COM	008	ppb	074	Chemiluminescence	^^
PM10 - Total STP	81102	SLAMS	3	☐	1	NBR	COM	001	ug/m^3	079	R&P SA246B TEOM	^^
Sulfur Dioxide	42401	SLAMS	1	☐	1	NBR	COM	008	ppb	060	Pulsed Fluorescent	^^

Sulfur Dioxide Max 5-min Avg	42406	SLAMS	1	☐	1	NBR	COM	008	ppb	060	Pulsed Fluorescent	^^

Mark Twain State Park — *AQS Site Number* 29-137-0001

20057 State Park Office Rd., Stoutville, MO 65283

Latitude: 39.47510 ***AQCR:*** 137 Northern Missouri

Longitude: -91.78899 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 710

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Ozone	44201	SLAMS	1	☐	1	REG	COM	007	ppm	047	Ultraviolet Photometric	
PM10 - Total STP	81102	SPM	3	☐	1	REG	SIP	001	ug/m^3	079	R&P SA246B TEOM	
Sulfur Dioxide	42401	SPM	1	☐	1	NBR	COM	008	ppb	060	Pulsed Fluorescent	**
Wind Direction - Resultant	61104	SPM	1	☐	1	REG	MET	014	deg	020	Vector Summation	
Wind Speed - Resultant	61103	SPM	1	☐	1	REG	MET	012	mph	020	Vector Summation	

Maryland Heights — *AQS Site Number* 29-189-0014

13044 Marine Ave., Maryland Heights, MO 63146

Latitude: 38.7109 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.4759 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 633

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	^^
Outdoor Temperature	62101	SPM	1	☐	1	NBR	MET	015	deg F	040	Electronic Averaging	^^
Ozone	44201	SLAMS	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric	^^

Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	^^
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	^^

Missouri State University (PM10:TEOM to replace Lo-Vol) *AQS Site Number* **29-077-0032**

710 S. Holland St. at Madison St., Springfield, MO 65806

Latitude: 37.199473 ***AQCR:*** 139 SW Missouri

Longitude: -93.284681 ***MSA:*** 7920 Springfield, MO

Elevation (ft): 1316

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Acceptable PMCoarse - LC	86502	SPM	1	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	
Ambient Temperature	68105	SPM	3	☐	1/6	N/A	COM	017	deg C	127	Lo-Vol R&P 2025 Sequential	^^
Baro Pressure	64101	SPM	1	☐	1	NBR	MET	059	mm (Hg)	014	Instrumental	
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Outdoor Temperature	62101	SPM	1	☐	1	NBR	MET	017	deg C	040	Electronic Averaging	
PM10 - LC	85101	SPM	5	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	
PM10 - Total STP	81102	SLAMS	1	☐	1/6	NBR	COM	001	ug/m^3	127	Lo-Vol R&P 2025 Sequential	^^
PM10 - Total STP	81102	SLAMS	3	☐	1	NBR	COM	001	ug/m^3	079	R&P SA246B TEOM	**
PM2.5 - LC	88101	SLAMS	4	☐	1	NBR	COM	105	ug/m^3-LC	182	FMDS-Gravimetric 1405-DF	
PM2.5 Tot Atmospheric	88500	SPM	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	
PM2.5 Volatile Channel	88503	SPM	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	
Relative Humidity	62201	SPM	1	☐	1	NBR	MET	019	%humidity	020	Instrumental	

Sample Baro Pressure	68108	SPM	3	☐	1/6	N/A	COM	059	mm (Hg)	127	Lo-Vol R&P 2025 Sequential	^^

New Bloomfield — *AQS Site Number* 29-027-0002

2625 Meadow Lake View, New Bloomfield, MO, 65063

Latitude: 38.70608 ***AQCR:*** 137 Northern Missouri

Longitude: -92.09308 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 860

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Ozone	44201	SLAMS	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric	
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	

Oakville — *AQS Site Number* 29-189-0015

6115 Frontenac Pointe Ct., Oakville, MO 63129

Latitude: 38.45671 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.327477 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 477

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	^^
PM10 - Total STP	81102	SLAMS	3	☐	1	MID	COM	001	ug/m^3	079	R&P SA246B TEOM	^^
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	^^
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	^^

Oates

AQS Site Number 29-179-0034

13155 Highway KK, Boss, MO 65440

Latitude: 37.56485 ***AQCR:*** 138 SE Missouri

Longitude: -91.11423 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 1134

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Ambient Temperature	68105	SPM	1	☐	1/6	N/A	COM	017	deg C	803	Off-Site Avg Temperature	
Lead (TSP) - LC FRM/FEM	14129	SLAMS	1	☐	1/6	NBR	COM	105	ug/m^3-LC	192	Inductive Coupled Plasma Spectrometry	
Sample Baro Pressure	68108	SPM	1	☐	1/6	N/A	COM	059	mm (Hg)	803	Off-Site Avg Pressure	

Orchard Farm

AQS Site Number 29-183-1004

2165 Highway V, St. Charles, MO 63301

Latitude: 38.8994 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.44917 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 441

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Ozone	44201	SLAMS	1	☑	1	URB	COM	007	ppm	047	Ultraviolet Photometric	

Pacific

AQS Site Number 29-189-0005

18701 Old Highway 66, Pacific, MO 63039

Latitude: 38.4902 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.7052 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 524

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	^^

Outdoor Temperature	62101	SPM	1	☐	1	NBR	MET	017	deg C	040	Electronic Averaging	^^
Ozone	44201	SLAMS	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric	^^
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	^^
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	^^

Park Hills — *AQS Site Number* 29-187-0006

105 Industrial Dr., Park Hills, MO 63601

Latitude: 37.86485 ***AQCR:*** 138 SE Missouri

Longitude: -90.50804 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 743

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	SPM	1	☐	1/6	N/A	COM	017	deg C	803	Off-Site Avg Temperature	
Lead (TSP) - LC FRM/FEM	14129	SPM	1	☐	1/6	NBR	COM	105	ug/m^3-LC	192	Inductive Coupled Plasma Spectrometry	
Sample Baro Pressure	68108	SPM	1	☐	1/6	N/A	COM	059	mm (Hg)	803	Off-Site Avg Pressure	

Pevely — *AQS Site Number* 29-099-0009

500 Dow Industrial Dr., Pevely, MO 63070

Latitude: 38.2861 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.38094 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 409

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Ambient Temperature	68105	SPM	1	☐	1/6	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	SLAMS	1	☐	1/6	NBR	COM	105	ug/m^3-LC	192	Inductive Coupled Plasma Spectrometry	
Sample Baro Pressure	68108	SPM	1	☐	1/6	N/A	COM	059	mm (Hg)	780	Instrumental	

Pevely North — AQS Site Number 29-099-0026

Tiarre at the Abbey, Station 150N, Christine Drive, Pevely, MO 63070

Latitude: 38.296 **AQCR:** 070 Metropolitan St. Louis

Longitude: -90.393 **MSA:** 7040 St. Louis, MO-IL

Elevation (ft): 582

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Ambient Temperature	68105	SPM	1	☐	1/6	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	SLAMS	1	☐	1/6	NBR	COM	105	ug/m^3-LC	192	Inductive Coupled Plasma Spectrometry	
Sample Baro Pressure	68108	SPM	1	☐	1/6	N/A	COM	059	mm (Hg)	780	Instrumental	

Richards Gebaur - South (PM2.5:DF to replace VSCC) — AQS Site Number 29-037-0003

1802 E. 203rd Street, Belton, MO, 64012

Latitude: 38.75976 **AQCR:** 094 Metropolitan Kansas City

Longitude: -94.57997 **MSA:** 3760 Kansas City, MO-KS

Elevation (ft): 1031

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Acceptable PMCoarse - LC	86502	SPM	1	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
Baro Pressure	64101	SPM	1	☐	1	NBR	MET	059	mm (Hg)	014	Instrumental	**
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Outdoor Temperature	62101	SPM	1	☐	1	NBR	MET	017	deg C	040	Electronic Averaging	
Ozone	44201	SLAMS	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric	
PM10 - LC	85101	SPM	5	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
PM2.5 - LC	88101	SLAMS	3	☐	1	NBR	COM	105	ug/m^3-LC	181	PM2.5 VSCC FEM	

PM2.5 Tot Atmospheric	88500	SPM	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
PM2.5 Tot Atmospheric	88500	NON-R	3	☐	1	NBR	AQI	105	ug/m^3-LC	761	PM2.5 VSCC FDMS	
PM2.5 Volatile Channel	88503	NON-R	3	☐	1	NBR	AQI	105	ug/m^3-LC	761	PM2.5 VSCC FDMS	
PM2.5 Volatile Channel	88503	SPM	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
Relative Humidity	62201	SPM	1	☐	1	NBR	MET	019	%humidity	020	Instrumental	**
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	

Rocky Creek — *AQS Site Number* 29-047-0006

13131 Highway 169 NE., Smithville, MO 64089

Latitude: 39.33188 ***AQCR:*** 094 Metropolitan Kansas City

Longitude: -94.5806 ***MSA:*** 3760 Kansas City, MO-KS

Elevation (ft): 993

Pollutant	*AQS Code*	*Monitor-Type*	*POC*	*Col*	*Freq*	*Scale*	*Obj*	*Unit-Code*	*Unit*	*Method-Code*	*Method*	*Monitor-Status*
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Ozone	44201	SLAMS	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric	
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	

Savannah

AQS Site Number 29-003-0001

11796 Highway 71, Savannah, MO 64485

Latitude: 39.9544 ***AQCR:*** 137 Northern Missouri

Longitude: -94.849 ***MSA:*** 7000 St. Joseph, MO

Elevation (ft): 1120

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Ozone	44201	SLAMS	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric	
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	

South Broadway

AQS Site Number 29-510-0007

8227 South Broadway, St. Louis, MO 63111

Latitude: 38.5425 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.263611 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 452

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Acceptable PMCoarse - LC	86502	SPM	1	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	^^
Baro Pressure	64101	SLAMS	1	☐	1	NBR	MET	059	mm (Hg)	014	Instrumental	
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
PM10 - LC	85101	SPM	5	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	^^
PM2.5 - LC	88101	SLAMS	4	☐	1	NBR	COM	105	ug/m^3-LC	182	FMDS-Gravimetric 1405-DF	^^
PM2.5 Tot Atmospheric	88500	SPM	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	^^

PM2.5 Volatile Channel	88503	SPM	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	^^
Relative Humidity	62201	SPM	1	☐	1	NBR	MET	019	%humidity	020	Instrumental	

South Charleston

AQS Site Number 29-077-0026

5012 S. Charleston, Springfield, MO 65804

Latitude: 37.122561 ***AQCR:*** 139 SW Missouri

Longitude: -93.263161 ***MSA:*** 7920 Springfield, MO

Elevation (ft): 1234

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Sulfur Dioxide	42401	SLAMS	1	☐	1	NBR	COM	008	ppb	060	Pulsed Fluorescent	^^
Sulfur Dioxide Max 5-min Avg	42406	SLAMS	1	☐	1	NBR	COM	008	ppb	060	Pulsed Fluorescent	^^

St. Joe State Park

AQS Site Number 29-187-0007

2800 Pimville Rd., Park Hills, MO 63601

Latitude: 37.81413 ***AQCR:*** 138 SE Missouri

Longitude: -90.50738 ***MSA:*** 0000 Not in a MSA

Elevation (ft): 937

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Ambient Temperature	68105	SPM	1	☐	1/3	N/A	COM	017	deg C	803	Off-Site Avg Temperature	
Lead (TSP) - LC FRM/FEM	14129	SPM	1	☐	1/3	NBR	COM	105	ug/m^3-LC	192	Inductive Coupled Plasma Spectrometry	
Sample Baro Pressure	68108	SPM	1	☐	1/3	N/A	COM	059	mm (Hg)	803	Off-Site Avg Pressure	

St. Joseph Pump Station (DF to be collocated) — AQS Site Number 29-021-0005

S. Highway 759, St. Joseph, MO 64501

Latitude: 39.741667 ***AQCR:*** 094 Metropolitan Kansas City

Longitude: -94.858333 ***MSA:*** 7000 St. Joseph, MO

Elevation (ft): 845

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Acceptable PMCoarse - LC	86502	SPM	1	☑	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	
Ambient Temperature	68105	SPM	3	☑	1/3	N/A	COM	017	deg C	127	Lo-Vol R&P 2025 Sequential	
Baro Pressure	64101	SPM	1	☑	1	NBR	MET	059	mm (Hg)	014	Instrumental	
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Outdoor Temperature	62101	SPM	1	☐	1	NBR	MET	017	deg C	040	Electronic Averaging	
PM10 - LC	85101	SPM	5	☑	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	
PM10 - LC	85101	SPM	1	☑	1/3	NBR	COM	105	ug/m^3-LC	127	Lo-Vol R&P 2025 Sequential	
PM10 - Total STP	81102	SLAMS	1	☑	1/3	NBR	COM	001	ug/m^3	127	Lo-Vol R&P 2025 Sequential	
PM2.5 - LC	88101	SLAMS	4	☑	1	NBR	COM	105	ug/m^3-LC	182	FMDS-Gravimetric 1405-DF	
PM2.5 Tot Atmospheric	88500	SPM	1	☑	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	
PM2.5 Volatile Channel	88503	SPM	1	☑	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	
Relative Humidity	62201	SPM	1	☑	1	NBR	MET	019	%humidity	020	Instrumental	
Sample Baro Pressure	68108	SPM	3	☑	1/3	N/A	COM	059	mm (Hg)	127	Lo-Vol R&P 2025 Sequential	

Trimble — AQS Site Number 29-049-0001

7536 SW. O Highway, Trimble, MO 64492

Latitude: 39.5306 ***AQCR:*** 137 Northern Missouri

Longitude: -94.556 ***MSA:*** 3760 Kansas City, MO-KS

Elevation (ft): 955

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Ozone	44201	SLAMS	1	☑	1	NBR	COM	007	ppm	047	Ultraviolet Photometric	
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation	
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation	

Troost (PM2.5:DF to replace VSCC) — AQS Site Number 29-095-0034

724 Troost (Rear), Kansas City, MO 64106

Latitude: 39.104722 ***AQCR:*** 094 Metropolitan Kansas City

Longitude: -94.570556 ***MSA:*** 3760 Kansas City, MO-KS

Elevation (ft): 971

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Acceptable PM2.5 AQI/SPEC	88502	NON-R	3	☐	1	NBR	AQI	105	ug/m^3-LC	761	PM2.5 VSCC FDMS	
Acceptable PMCoarse - LC	86502	SPM	1	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
Ambient Temperature	68105	SPM	1	☐	1/1	N/A	COM	017	deg C	118	Lo-Vol R&P 2025 Sequential	
Ambient Temperature	68105	SPM	3	☐	1/6	N/A	COM	017	deg C	127	Lo-Vol R&P 2025 Sequential	
Baro Pressure	64101	SPM	1	☐	1	NBR	MET	059	mm (Hg)	014	Instrumental	**
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	

Nitric Oxide	42601	SPM	1	☐	1	URB	COM	008	ppb	074	Chemiluminescence	
Nitrogen Dioxide	42602	SLAMS	1	☐	1	URB	COM	008	ppb	074	Chemiluminescence	
Outdoor Temperature	62101	SPM	1	☐	1	NBR	MET	017	deg C	040	Electronic Averaging	
Oxides of Nitrogen	42603	SPM	1	☐	1	URB	COM	008	ppb	074	Chemiluminescence	
PM10 - LC	85101	SPM	5	☐	1	NBR	COM	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
PM10 - LC	85101	SPM	1	☐	1/6	NBR	COM	105	ug/m^3-LC	127	Lo-Vol R&P 2025 Sequential	
PM10 - Total STP	81102	SLAMS	1	☐	1/6	NBR	COM	001	ug/m^3	127	Lo-Vol R&P 2025 Sequential	
PM2.5 - LC	88101	SLAMS	3	☑	1	NBR	COM	105	ug/m^3-LC	181	PM2.5 VSCC FEM	
PM2.5 - LC	88101	SLAMS	4	☑	1	NBR	COM	105	ug/m^3-LC	182	FMDS-Gravimetric 1405-DF	**
PM2.5 Tot Atmospheric	88500	SPM	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
PM2.5 Tot Atmospheric	88500	NON-R	3	☐	1	NBR	AQI	105	ug/m^3-LC	761	PM2.5 VSCC FDMS	
PM2.5 Volatile Channel	88503	SPM	1	☐	1	NBR	AQI	105	ug/m^3-LC	790	FDMS-Gravimetric 1405-DF	**
PM2.5 Volatile Channel	88503	NON-R	3	☐	1	NBR	AQI	105	ug/m^3-LC	761	PM2.5 VSCC FDMS	
Relative Humidity	62201	SPM	1	☐	1	NBR	MET	019	%humidity	020	Instrumental	**
Sample Baro Pressure	68108	SPM	3	☐	1/6	N/A	COM	059	mm (Hg)	127	Lo-Vol R&P 2025 Sequential	
Sample Baro Pressure	68108	SPM	1	☐	1/1	N/A	COM	059	mm (Hg)	118	Lo-Vol R&P 2025 Sequential	
Sulfur Dioxide	42401	SLAMS	1	☐	1	MID	COM	008	ppb	060	Pulsed Fluorescent	
Sulfur Dioxide Max 5-min Avg	42406	SLAMS	1	☐	1	MID	COM	008	ppb	060	Pulsed Fluorescent	

Ursuline North

AQS Site Number 29-099-0025

210 Glennon Heights Rd., Crystal City, MO 63019

Latitude: 38.243 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.37372 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 578

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Ambient Temperature	68105	SPM	1	☐	1/6	N/A	COM	017	deg C	780	Instrumental	
Lead (TSP) - LC FRM/FEM	14129	SLAMS	1	☐	1/6	NBR	COM	105	ug/m^3-LC	192	Inductive Coupled Plasma Spectrometry	
Sample Baro Pressure	68108	SPM	1	☐	1/6	N/A	COM	059	mm (Hg)	780	Instrumental	

Watkins Mill State Park

AQS Site Number 29-047-0003

Watkins Mill Road, Lawson, MO 64062

Latitude: 39.407419 ***AQCR:*** 094 Metropolitan Kansas City

Longitude: -94.265142 ***MSA:*** 3760 Kansas City, MO-KS

Elevation (ft): 1009

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	
Ozone	44201	SLAMS	1	☑	1	URB	COM	007	ppm	047	Ultraviolet Photometric	

West Alton

AQS Site Number 29-183-1002

General Elecric Store, Highway 94, West Alton, MO 63386

Latitude: 38.8725 ***AQCR:*** 070 Metropolitan St. Louis

Longitude: -90.226389 ***MSA:*** 7040 St. Louis, MO-IL

Elevation (ft): 425

Pollutant	AQS Code	Monitor-Type	POC	Col	Freq	Scale	Obj	Unit-Code	Unit	Method-Code	Method	Monitor-Status
Indoor Temperature	62107	SPM	1	☐	1	N/A	MET	017	deg C	013	Electronic Averaging	

Outdoor Temperature	62101	SPM	1	☐	1	NBR	MET	017	deg C	040	Electronic Averaging
Ozone	44201	SLAMS	1	☑	1	URB	COM	007	ppm	047	Ultraviolet Photometric
Solar Radiation	63301	SPM	1	☐	1	NBR	MET	079	W/m^2	011	Instrumental
Wind Direction - Resultant	61104	SPM	1	☐	1	NBR	MET	014	deg	020	Vector Summation
Wind Speed - Resultant	61103	SPM	1	☐	1	NBR	MET	012	mph	020	Vector Summation